

EIDW

Dublin


LEAL

Alicante-Elche "El Altet"

2024/05/15 0420Z

EIDW STU **UN26** UVUDO **UN862** MLA **UN860** TATOS LEAL

972.04 nm / 1800.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
STU	-	51.99470	34,500 ft	96	STRUMBLE
VOR	-	-5.04019	10,516 m		
DEVOM	UN26	50.72170	35,000 ft	90	-
FIX	AWY-HI	-3.75528	10,668 m		
BHD	UN26	50.39860	35,000 ft	21	BERRY HEAD
VOR	AWY-HI	-3.49374	10,668 m		
MANIG	UN26	49.78530	35,000 ft	37	-
FIX	AWY-HI	-3.25944	10,668 m		
GOBUR	UN26	49.29170	35,000 ft	30	-
FIX	AWY-HI	-3.07528	10,668 m		
BASIK	UN26	48.95360	35,000 ft	20	-
FIX	AWY-HI	-2.95111	10,668 m		
KORER	UN26	47.68500	35,000 ft	78	-
FIX	AWY-HI	-2.50083	10,668 m		
NORMI	UN26	46.89610	35,000 ft	50	-
FIX	AWY-HI	-2.09194	10,668 m		
UVUDO	UN26	46.50000	35,000 ft	25	-
FIX	AWY-HI	-1.84417	10,668 m		
SAU	UN862	44.67680	35,000 ft	130	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,668 m		
TBO	UN862	43.33220	35,000 ft	81	TARBES
VOR	AWY-HI	0.14575	10,668 m		
PERDU	UN862	42.73210	35,000 ft	36	-
FIX	AWY-HI	0.15119	10,668 m		
BROTO	UN862	42.42440	35,000 ft	18	-
FIX	AWY-HI	0.15394	10,668 m		
POSSY	UN862	42.06130	35,000 ft	21	-
FIX	AWY-HI	0.15717	10,668 m		
DIRMU	UN862	41.78550	35,000 ft	16	-
FIX	AWY-HI	0.15958	10,668 m		
MLA	UN862	41.12960	35,000 ft	39	MAELLA
VOR	AWY-HI	0.16525	10,668 m		
CRETA	UN860	40.87230	34,000 ft	16	-
FIX	AWY-HI	0.06156	10,363 m		
RIMES	UN860	40.55790	29,700 ft	19	-
FIX	AWY-HI	-0.06394	9,053 m		
SAURA	UN860	40.25600	25,700 ft	18	-
FIX	AWY-HI	-0.18336	7,833 m		
TATOS	UN860	40.00000	22,200 ft	16	-
FIX	AWY-HI	-0.28375	6,767 m		
LEAL	-	38.28220	0 ft	103	Alicante-Elche "El Altet"
APT	-	-0.55811	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.973 W

METAR

EIDW 150400Z 08005KT 9999 FEW014 BKN046 12/11 Q1001 NOSIG

TAF

TAF AMD EIDW 150036Z 1500/1524 VRB03KT 9999 FEW010 SCT040 BECMG 1501/1503 11007KT PROB30 TEMPO 1502/1508 BKN010 B

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.26		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.23		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.61		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.23		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.23		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.61		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.23		242 m

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.888 E

METAR

LEAL 150400Z 31014KT CAVOK 19/03 Q1006 NOSIG

TAF

TAF AMD LEAL 150307Z 1503/1524 30018KT CAVOK TX27/1512Z TN15/1505Z TEMPO 1504/1513 27005KT TEMPO 1513/1516 180200

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m