

# LFMN

Nice-Cote d'Azur


# LFPG

Paris Charles De Gaulle

2024/05/16 0424Z

LFMN NEDRU **UZ12** LTP **A2** DANBO **UT133** AMORO **UT140** PIBAT **UM976** AVLON LFPG

375.96 nm / 696.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMN	-	43.65840	0 ft	-	Nice-Cote d'Azur
APT	-	7.21576	0 m		
NEDRU	-	45.07580	35,000 ft	104	-
FIX	-	5.81917	10,668 m		
LTP	UZ12	45.48900	35,000 ft	29	LA TOUR DU PIN
VOR	AWY-HI	5.43906	10,668 m		
RUBLO	A2	45.59060	35,000 ft	7	-
FIX	AWY-LO	5.35028	10,668 m		
GIRED	A2	45.72610	35,000 ft	9	-
FIX	AWY-LO	5.23167	10,668 m		
BARAN	A2	45.75530	35,000 ft	2	-
FIX	AWY-LO	5.20583	10,668 m		
DANBO	A2	45.92170	35,000 ft	11	-
FIX	AWY-LO	5.05861	10,668 m		
BUSIL	UT133	46.29360	35,000 ft	26	-
FIX	AWY-HI	4.72194	10,668 m		
AMORO	UT133	46.50000	35,000 ft	14	-
FIX	AWY-HI	4.53806	10,668 m		
PIBAT	UT140	46.80580	31,900 ft	21	-
FIX	AWY-HI	4.25917	9,723 m		
CACHI	UM976	47.06670	28,300 ft	16	-
FIX	AWY-HI	4.10667	8,626 m		
AVLON	UM976	47.56000	21,500 ft	31	-
FIX	AWY-HI	3.81333	6,553 m		
LFPG	-	49.00970	0 ft	100	Paris Charles De Gaulle
APT	-	2.56257	0 m		

## LFMN

Region: FRANCE  
Timezone: UNKNOWN  
Runways: 2

Elevation: 12 ft / 4 m  
Location: 43.658400 7.215760  
Magnetic Var: 2.738 E

## METAR

LFMN 160400Z 33006KT 9999 SCT090 BKN150 16/13 Q1006 NOSIG

## TAF

TAF LFMN 160200Z 1603/1709 33010KT CAVOK PROB30 TEMPO 1603/1607 4000 -TSRA SCT030CB TEMPO 1607/1612 2000 TSRA SCT030CB

## Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.497 E

## METAR

LFPG 160400Z 24004KT 9999 FEW040 BKN043 13/12 Q1005 NOSIG

## TAF

TAF LFPG 152300Z 1600/1706 24005KT 9999 BKN040 TX19/1615Z TN09/1705Z TEMPO 1601/1606 4000 -SHRA SCT030TCU PROB30

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m