


2024/05/04 0748Z

LFPO AVLON **UM976** ATN **UZ12** BULOL **UM733** OKTET LFMN

366.54 nm / 678.84 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72636	0 ft	-	Paris Orly
APT	-	2.36703	0 m	-	
AVLON	-	47.56000	32,400 ft	90	-
FIX	-	3.81333	9,876 m	-	-
ATN	UM976	46.80594	35,000 ft	48	-
VOR	AWY-HI	4.25914	10,668 m	-	-
MOMIL	UZ12	46.54611	35,000 ft	19	-
FIX	AWY-HI	4.54667	10,668 m	-	-
BULOL	UZ12	46.04583	35,000 ft	37	-
FIX	AWY-HI	5.09194	10,668 m	-	-
GIPNO	UM733	45.56000	28,900 ft	34	-
FIX	AWY-HI	5.52917	8,809 m	-	-
OKTET	UM733	44.48500	12,200 ft	78	-
FIX	AWY-HI	6.56944	3,719 m	-	-
LFMN	-	43.65798	0 ft	56	Nice/Cote d'Azur
APT	-	7.21536	0 m	-	

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.448 E

## METAR

LFPO 040730Z 13004KT 110V170 9999 -RA SCT006 SCT025 BKN049 09/08 Q1013 TEMPO BKN006

## TAF

TAF AMD LFPO 040617Z 0406/0512 13005KT CAVOK PROB40 TEMPO 0406/0409 BKN006 PROB30 TEMPO 0406/0408 BKN004 PROB40 T

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

## LFMN

Region: FRANCE  
Timezone: UNKNOWN  
Runways: 2

Elevation: 12 ft / 4 m  
Location: 43.658400 7.215760  
Magnetic Var: 2.734 E

## METAR

LFMN 040730Z 32007KT CAVOK 15/09 Q1017 NOSIG

## TAF

TAF LFMN 040200Z 0403/0509 33008KT 9999 BKN018 BKN240 BECMG 0408/0410 18010KT BECMG 0416/0418 09010KT BECMG 0419/

## Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m