


2024/05/12 2010Z

LPFR EVURA R72 NSA G52 PINOX UN745 RIVRO G52 ZMR UN873 DESAB UN867 RINSO UM184 PILIP EGSS

986.40 nm / 1826.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPFR	-	37.01530	0 ft	-	Faro
APT	-	-7.97232	0 m		
EVURA	-	38.66500	35,000 ft	99	-
FIX	-	-7.91861	10,668 m		
TAGUX	R72	38.94560	35,000 ft	16	-
FIX	AWY-LO	-7.91417	10,668 m		
OLGAR	R72	39.18330	35,000 ft	14	-
FIX	AWY-LO	-7.93639	10,668 m		
NSA	R72	39.56470	35,000 ft	22	NISA
VOR	AWY-LO	-7.91461	10,668 m		
PINOX	G52	40.29060	35,000 ft	57	-
FIX	AWY-LO	-7.10917	10,668 m		
RIVRO	UN745	40.62280	35,000 ft	26	-
FIX	AWY-HI	-6.72275	10,668 m		
ZMR	G52	41.53020	35,000 ft	73	ZAMORA
VOR	AWY-LO	-5.63969	10,668 m		
NUBLO	UN873	42.66600	35,000 ft	74	-
FIX	AWY-HI	-4.98889	10,668 m		
RONSI	UN873	43.48440	35,000 ft	53	-
FIX	AWY-HI	-4.50358	10,668 m		
DELOG	UN873	44.32890	35,000 ft	55	-
FIX	AWY-HI	-3.98750	10,668 m		
DESAB	UN873	45.83030	35,000 ft	100	-
FIX	AWY-HI	-2.95917	10,668 m		
TEPRA	UN867	46.49580	35,000 ft	45	-
FIX	AWY-HI	-2.42444	10,668 m		
NORMI	UN867	46.89610	35,000 ft	27	-
FIX	AWY-HI	-2.09194	10,668 m		
MOKOR	UN867	47.00690	35,000 ft	7	-
FIX	AWY-HI	-2.01389	10,668 m		
TERPO	UN867	47.34890	35,000 ft	20	-
FIX	AWY-HI	-1.92889	10,668 m		
RINSO	UN867	48.02720	35,000 ft	45	-
FIX	AWY-HI	-1.43583	10,668 m		
EKRAS	UM184	48.89940	35,000 ft	52	-
FIX	AWY-HI	-1.49917	10,668 m		
DIKRO	UM184	49.58470	32,000 ft	43	-
FIX	AWY-HI	-1.11083	9,754 m		
EPATI	UM184	49.79360	29,300 ft	12	-
FIX	AWY-HI	-1.08222	8,931 m		
KOTEM	UM184	50.00000	26,600 ft	12	-
FIX	AWY-HI	-1.05389	8,108 m		
PILIP	UM184	50.33420	22,300 ft	20	-
FIX	AWY-HI	-1.00722	6,797 m		
EGSS	-	51.88510	0 ft	104	Stansted
APT	-	0.23499	0 m		

LPFR

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 1

Elevation: 22 ft / 7 m
Location: 37.015300 -7.972320
Magnetic Var: 1.174 W

METAR

LPFR 122000Z 32010KT CAVOK 24/13 Q1014

TAF

TAF LPFR 121700Z 1218/1318 19007KT CAVOK BECMG 1218/1220 31013KT BECMG 1303/1305 30007KT 9999 SCT020 BECMG 1310/1

Frequencies

REC - 124.20 MHz - ATIS
TWR - 120.75 MHz -

GND - 118.57 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,179 ft	100.08	ASPHALT	148 ft	0 ft
	45 m	2,493 m	101.25		45 m	0 m
28	148 ft	8,179 ft	280.09	ASPHALT	144 ft	0 ft
	45 m	2,493 m	281.27		44 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IIF	109.50 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28	LOC-ILS	IIF	109.50 MHz	18 nm	280.08	-	22 ft
				33 km	281.25		22 m
28	GS	IIF	109.50 MHz	10 nm	280.17	3.00	24 ft
				19 km	281.35		24 m

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.579 E

METAR

EGSS 121950Z AUTO 13007KT 9999 NCD 18/13 Q1010

TAF

TAF EGSS 121704Z 1218/1324 12010KT 9999 FEW045 BECMG 1223/1302 20009KT TEMPO 1303/1308 4000 BR BKN004 BECMG 1321/

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m