

LFLL

Lyon Saint Exupery


LFBO

Toulouse Blagnac

2024/06/07 1839Z

LFLL MEN LFBO

203.01 nm / 375.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLL	-	45.72580	0 ft	-	Lyon Saint Exupery
APT	-	5.09073	0 m		
MEN	-	44.60840	20,800 ft	105	MENDE
VOR	-	3.16242	6,340 m		
LFBO	-	43.62900	0 ft	97	Toulouse Blagnac
APT	-	1.36397	0 m		

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.267 E

METAR

LFL 071800Z 19003KT CAVOK 24/17 Q1017 NOSIG

TAF

TAF LFL 071700Z 0718/0824 VRB05KT CAVOK PROB40 TEMPO 0718/0721 3000 TSRA BKN060CB PROB30 TEMPO 0718/0721 VRB15G3

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.87		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.88		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.87		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.87		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.88		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.87		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.87		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.88		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.87		818 m

LFBO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 499 ft / 152 m
Location: 43.629000 1.363970
Magnetic Var: 1.348 E

METAR

LFBO 071800Z AUTO 08007KT 050V110 CAVOK 26/19 Q1015 NOSIG

TAF

TAF LFBO 071700Z 0718/0824 08005KT CAVOK TEMPO 0720/0723 14010KT TEMPO 0818/0822 BKN040 BECMG 0815/0817 36010KT

Frequencies

REC - 123.13 MHz - BLAGNAC ATIS	GND - 121.90 MHz - BLAGNAC GROUND
TWR - 118.10 MHz - BLAGNAC TOWER	APP - 121.10 MHz - BLAGNAC APPROACH
APP - 120.35 MHz - TOULOUSE APPROACH	APP - 123.85 MHz - TOULOUSE APPROACH
APP - 125.18 MHz - TOULOUSE APPROACH	APP - 129.30 MHz - TOULOUSE APPROACH
COM - 122.75 MHz - TOULOUSE BLAGNAC UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	148 ft	11,484 ft	142.99	ASPHALT	0 ft	295 ft
	45 m	3,500 m	141.64		0 m	90 m
32L	148 ft	11,484 ft	323.01	ASPHALT	0 ft	194 ft
	45 m	3,500 m	321.66		0 m	59 m
14L	148 ft	9,923 ft	143.00	ASPHALT	0 ft	30 ft
	45 m	3,025 m	141.65		0 m	9 m
32R	148 ft	9,923 ft	323.02	ASPHALT	0 ft	0 ft
	45 m	3,025 m	321.67		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	DME	TG	108.90 MHz	18 nm	-	-	528 ft
				33 km	-		528 m
14R	DME	TBS	110.70 MHz	18 nm	-	-	538 ft
				33 km	-		538 m
32L	DME	TBN	109.30 MHz	18 nm	-	-	535 ft
				33 km	-		535 m
32R	DME	TD	108.35 MHz	18 nm	-	-	554 ft
				33 km	-		554 m
14L	LOC-ILS	TG	108.90 MHz	18 nm	143.02	-	494 ft
				33 km	141.67		494 m
14R	LOC-ILS	TBS	110.70 MHz	18 nm	143.01	-	497 ft
				33 km	141.66		497 m
32L	LOC-ILS	TBN	109.30 MHz	18 nm	322.99	-	487 ft
				33 km	321.64		487 m
32R	LOC-ILS	TD	108.35 MHz	18 nm	322.70	-	486 ft
				33 km	321.35		486 m
14L	GS	TG	108.90 MHz	10 nm	143.02	3.00	494 ft
				19 km	141.67		494 m
14R	GS	TBS	110.70 MHz	10 nm	143.00	3.00	497 ft
				19 km	141.65		497 m
32L	GS	TBN	109.30 MHz	10 nm	323.00	3.00	487 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	GS	TD	108.35 MHz	19 km	321.65	3.50	487 m
				10 nm	323.02		486 ft
				19 km	321.67		486 m