

# LEAL

Alicante-Elche "El Altet"


# LFPG

Paris Charles De Gaulle

2024/05/18 0216Z

LEAL TATOS A34 GRAUS UN860 AGN UT185 PERIG A34 AMB UT158 DIBES LFPG

668.68 nm / 1238.39 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEAL	-	38.28220	0 ft	-	Alicante-Elche "El Altet"
APT	-	-0.55811	0 m		
TATOS	-	40.00000	35,000 ft	103	-
FIX	-	-0.28375	10,668 m		
SAURA	A34	40.25600	35,000 ft	16	-
FIX	AWY-LO	-0.18336	10,668 m		
RIMES	A34	40.55790	35,000 ft	18	-
FIX	AWY-LO	-0.06394	10,668 m		
CRETA	A34	40.87230	35,000 ft	19	-
FIX	AWY-LO	0.06156	10,668 m		
MLA	A34	41.12960	35,000 ft	16	MAELLA
VOR	AWY-LO	0.16525	10,668 m		
CASPE	A34	41.26840	35,000 ft	8	-
FIX	AWY-LO	0.19939	10,668 m		
SEROX	A34	41.34670	35,000 ft	4	-
FIX	AWY-LO	0.21869	10,668 m		
GRAUS	A34	41.97900	35,000 ft	38	-
FIX	AWY-LO	0.37644	10,668 m		
TURUV	UN860	42.36750	35,000 ft	23	-
FIX	AWY-HI	0.47497	10,668 m		
ANETO	UN860	42.69300	35,000 ft	19	-
FIX	AWY-HI	0.55844	10,668 m		
AGN	UN860	43.88800	35,000 ft	73	AGEN
VOR	AWY-HI	0.87286	10,668 m		
PERIG	UT185	45.11720	35,000 ft	73	-
FIX	AWY-HI	0.96944	10,668 m		
MAVAC	A34	45.51640	35,000 ft	24	-
FIX	AWY-LO	1.00194	10,668 m		
LMG	A34	45.81590	35,000 ft	18	LIMOGES
VOR	AWY-LO	1.02558	10,668 m		
BALAN	A34	46.51610	35,000 ft	42	-
FIX	AWY-LO	1.03333	10,668 m		
SOPIL	A34	47.02580	29,200 ft	30	-
FIX	AWY-LO	1.05500	8,900 m		
FIR12	A34	47.16670	27,400 ft	8	-
FIX	AWY-LO	1.05833	8,352 m		
AMB	A34	47.42890	24,000 ft	15	AMBOISE
VOR	AWY-LO	1.06444	7,315 m		
DIBES	UT158	47.50750	23,000 ft	4	-
FIX	AWY-HI	1.10472	7,010 m		
LFPG	-	49.00970	0 ft	107	Paris Charles De Gaulle
APT	-	2.56257	0 m		

## LEAL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 142 ft / 43 m  
Location: 38.282200 -0.558114  
Magnetic Var: 0.889 E

## METAR

LEAL 180200Z 34004KT 9999 FEW008 18/16 Q1009 NOSIG

## TAF

TAF TAF LEAL 172300Z 1800/1824 VRB03KT CAVOK TX24/1815Z TN14/1805Z BECMG 1808/1810 09010KT

## Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.498 E

## METAR

LFPG 180200Z 02006KT CAVOK 12/10 Q1012 NOSIG

## TAF

TAF LFPG 172300Z 1800/1906 02005KT CAVOK TX20/1812Z TN10/1804Z TEMPO 1800/1802 VRB02KT PROB30 TEMPO 1814/1820 400

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m