

# LIBC

Crotone-Sant'Anna "Pitagora"


# LIME

Bergamo-Orio Al Serio "Il Caravaggio"

2024/05/12 1854Z

LIBC MATED **Z904** EKMIL **Z905** GUDPO **M872** LIKNO **Q95** LUTOR LIME

522.64 nm / 967.94 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBC	-	38.99720	0 ft	-	Crotone-Sant'Anna "Pitagora"
APT	-	17.08020	0 m	-	
MATED	-	40.61060	35,000 ft	105	-
FIX	-	16.16830	10,668 m	-	-
DOGUS	Z904	41.02000	35,000 ft	32	-
FIX	AWY-HI	15.70330	10,668 m	-	-
VEBOX	Z904	41.15000	35,000 ft	11	-
FIX	AWY-HI	15.52970	10,668 m	-	-
EKMOT	Z904	41.68310	35,000 ft	45	-
FIX	AWY-HI	14.80720	10,668 m	-	-
EKMIL	Z904	42.16810	35,000 ft	41	-
FIX	AWY-HI	14.13360	10,668 m	-	-
GUDPO	Z905	42.80810	35,000 ft	43	-
FIX	AWY-HI	13.69280	10,668 m	-	-
NORKI	M872	43.07970	35,000 ft	22	-
FIX	AWY-HI	13.32860	10,668 m	-	-
ERDON	M872	43.29500	35,000 ft	18	-
FIX	AWY-HI	13.03670	10,668 m	-	-
GUBIN	M872	43.48690	35,000 ft	16	-
FIX	AWY-HI	12.77420	10,668 m	-	-
LIKNO	M872	43.79390	34,100 ft	26	-
FIX	AWY-HI	12.34830	10,394 m	-	-
PELEG	Q95	44.22780	26,200 ft	37	-
FIX	AWY-HI	11.73530	7,986 m	-	-
PETAS	Q95	44.34810	23,900 ft	10	-
FIX	AWY-HI	11.56310	7,285 m	-	-
PIGAK	Q95	44.38640	23,200 ft	3	-
FIX	AWY-HI	11.50810	7,071 m	-	-
LUTOR	Q95	44.48810	21,400 ft	8	-
FIX	AWY-HI	11.36080	6,523 m	-	-
LIME	-	45.67200	0 ft	99	Bergamo-Orio Al Serio "Il Caravaggio"
APT	-	9.70681	0 m	-	

## LIME

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 776 ft / 237 m  
Location: 45.672000 9.706810  
Magnetic Var: 3.344 E

## METAR

LIME 121820Z 18003KT 150V210 9999 FEW070 23/11 Q1015 NOSIG

## TAF

TAF LIME 121700Z 1218/1318 VRB05KT 9999 FEW050 TEMPO 1302/1314 SHRA

## Frequencies

GND - 120.50 MHz - ORIO GROUND  
REC - 114.95 MHz - ATIS  
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER  
APP - 126.30 MHz - MILANO RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.12		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.55		135 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m