EHAM
Amsterdam Schiphol

-

LFPO
Paris Orly

2024/06/16 1009Z

EHAM DENOX **UN872** CIV CIV **UN872** LESDO LFPO

235.03 nm / 435.27 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	–	52.30810 4.76417	0 ft 0 m	–	Amsterdam Schiphol
DENOX FIX	–	50.87940 4.02778	31,000 ft 9,449 m	90	–
CIV VOR	UN872 AWY-HI	50.57400 3.83287	26,800 ft 8,169 m	19	CHIEVRES
CIV DME	–	50.57230 3.82183	26,700 ft 8,138 m	0	CHIEVRES TACAN
MEDIL FIX	UN872 AWY-HI	50.34210 3.67497	23,500 ft 7,163 m	14	–
LESDO FIX	UN872 AWY-HI	49.80830 3.31806	16,000 ft 4,877 m	34	–
LFPO APT	–	48.72630 2.36698	0 ft 0 m	74	Paris Orly

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.057 E

METAR

EHAM 160925Z 20018KT 170V230 9999 VCSH FEW014 SCT021TCU 16/11 Q1003 TEMPO -SHRA

TAF

UNKNOWN

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND
TWR - 118.10 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER
APP - 120.55 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH
APP - 131.15 MHz - SCHIPHOL ARRIVAL
REC - 122.20 MHz - SCHIPHOL ATIS
GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.90 MHz - SCHIPHOL GROUND
TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.27 MHz - SCHIPHOL TOWER
APP - 118.80 MHz - AMSTERDAM RADAR
APP - 127.78 MHz - AMSTERDAM RADAR
APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 118.40 MHz - SCHIPHOL ARRIVAL
DEP - 121.20 MHz - SCHIPHOL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft 44 m	11,319 ft 3,450 m	86.77 84.72	ASPHALT	325 ft 99 m	0 ft 0 m
27	145 ft 44 m	11,319 ft 3,450 m	266.81 264.76	ASPHALT	0 ft 0 m	0 ft 0 m
18L	150 ft 46 m	11,150 ft 3,399 m	183.24 181.18	ASPHALT	1,886 ft 575 m	0 ft 0 m
36R	150 ft 46 m	11,150 ft 3,399 m	3.24 1.18	ASPHALT	0 ft 0 m	0 ft 0 m
18C	145 ft 44 m	10,813 ft 3,296 m	183.22 181.16	ASPHALT	0 ft 0 m	0 ft 0 m
36C	145 ft 44 m	10,813 ft 3,296 m	3.22 1.16	ASPHALT	1,473 ft 449 m	0 ft 0 m
18R	190 ft 58 m	12,467 ft 3,800 m	183.19 181.13	ASPHALT	886 ft 270 m	0 ft 0 m
36L	190 ft 58 m	12,467 ft 3,800 m	3.19 1.13	ASPHALT	0 ft 0 m	0 ft 0 m
06	150 ft 46 m	11,288 ft 3,441 m	57.85 55.80	ASPHALT	814 ft 248 m	0 ft 0 m
24	150 ft 46 m	11,288 ft 3,441 m	237.89 235.83	ASPHALT	0 ft 0 m	0 ft 0 m
04	140 ft 43 m	6,624 ft 2,019 m	41.18 39.13	ASPHALT	0 ft 0 m	0 ft 0 m
22	140 ft 43 m	6,624 ft 2,019 m	221.20 219.14	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	– –	–	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	– –	–	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	– –	–	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	– –	–	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	– –	–	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	– –	–	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.82	–	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.16	–	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.13	–	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.14	–	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.73	–	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.16	–	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.18	–	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.82	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.16	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.13	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.14	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.73	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.16	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.18	3.00	-11 ft -11 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.463 E

METAR

LFPO 160930Z 21013KT 180V240 9999 SCT012 BKN033 16/15 Q1007 BECMG SCT020

TAF

TAF AMD LFPO 160917Z 1609/1712 20011KT 9999 SCT012 BKN035 PROB40 TEMPO 1613/1620 21015G25KT SCT035TCU PROB30 TEMP

Frequencies

REC - 126.50 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT
GND - 121.82 MHz - ORLY GROUND
TWR - 120.50 MHz - ORLY TOWER
APP - 123.87 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS
GND - 121.70 MHz - ORLY GROUND
TWR - 118.70 MHz - ORLY TOWER
APP - 118.85 MHz - PARIS APPROACH
APP - 124.45 MHz - PARIS APPROACH
DEP - 127.75 MHz - PARIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft 45 m	11,953 ft 3,643 m	61.78 60.32	ASPHALT	984 ft 300 m	482 ft 147 m
24	148 ft 45 m	11,953 ft 3,643 m	241.82 240.35	ASPHALT	0 ft 0 m	492 ft 150 m
07	148 ft 45 m	10,868 ft 3,313 m	74.34 72.88	CONCRETE	0 ft 0 m	0 ft 0 m
25	148 ft 45 m	10,868 ft 3,313 m	254.38 252.91	CONCRETE	1,427 ft 435 m	0 ft 0 m
02	197 ft 60 m	7,875 ft 2,400 m	18.30 16.84	CONCRETE	0 ft 0 m	492 ft 150 m
20	197 ft 60 m	7,875 ft 2,400 m	198.31 196.85	CONCRETE	0 ft 0 m	492 ft 150 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm 33 km	- -	-	291 ft 291 m
24	DME	OLO	110.90 MHz	18 nm 33 km	- -	-	291 ft 291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm 33 km	18.31 16.85	-	291 ft 291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm 33 km	61.80 60.34	-	291 ft 291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm 33 km	74.36 72.90	-	291 ft 291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm 33 km	241.80 240.34	-	291 ft 291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm 33 km	254.36 252.90	-	291 ft 291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.91	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.85	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.34	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.90	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.34	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.90	3.00	291 ft 291 m