

KBNA

Nashville International


KDFW

Dallas Fort Worth Intl

2024/05/06 0603Z

KBNA DITZL J42 MEM Q34 MATIE J42 TXK V573 OSUYE KDFW

550.25 nm / 1019.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBNA APT	-	36.12450 -86.67820	0 ft 0 m	-	Nashville International
DITZL FIX	-	35.56250 -88.42440	32,600 ft 9,936 m	91	-
MEM VOR	J42 AWY-HI	35.01510 -89.98320	35,000 ft 10,668 m	83	MEMPHIS
EDWAH FIX	Q34 AWY-HI	34.19890 -92.27080	35,000 ft 10,668 m	123	-
MATIE FIX	Q34 AWY-HI	34.09500 -92.55070	35,000 ft 10,668 m	15	-
WASKO FIX	J42 AWY-HI	34.06010 -92.64390	35,000 ft 10,668 m	5	-
TXK VOR	J42 AWY-HI	33.51390 -94.07320	32,800 ft 9,997 m	78	TEXARKANA
OSUYE FIX	V573 AWY-LO	33.30390 -95.06180	21,900 ft 6,675 m	51	-
KDFW APT	-	32.89720 -97.03770	0 ft 0 m	102	Dallas Fort Worth Intl

KBNA

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 598 ft / 182 m
Location: 36.124500 -86.678200
Magnetic Var: 4.365 W

METAR

KBNA 060453Z 14006KT 10SM OVC110 21/17 A2996 RMK AO2 SLP140 T02060167

TAF

KBNA 052323Z 0600/0624 14005KT P6SM BKN045 FM060100 18005KT P6SM -SHRA OVC050 TEMPO 0601/0603 2SM TSRA OVC025CB FM

Frequencies

REC - 135.10 MHz - KBNA ATIS
GND - 121.90 MHz - NASHVILLE GROUND
APP - 119.35 MHz - NASHVILLE APPROACH
COM - 122.95 MHz - NASHVILLE UNICOM
TWR - 118.60 MHz - NASHVILLE TOWER
DEP - 118.40 MHz - NASHVILLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02C	148 ft	8,014 ft	17.92	CONCRETE	0 ft	0 ft
	45 m	2,443 m	22.28		0 m	0 m
20C	148 ft	8,014 ft	197.92	CONCRETE	0 ft	0 ft
	45 m	2,443 m	202.29		0 m	0 m
02R	148 ft	8,013 ft	17.92	CONCRETE	0 ft	0 ft
	45 m	2,442 m	22.29		0 m	0 m
20L	148 ft	8,013 ft	197.93	CONCRETE	0 ft	0 ft
	45 m	2,442 m	202.29		0 m	0 m
02L	148 ft	7,718 ft	17.59	CONCRETE	0 ft	0 ft
	45 m	2,352 m	21.95		0 m	0 m
20R	148 ft	7,718 ft	197.59	CONCRETE	0 ft	0 ft
	45 m	2,352 m	201.96		0 m	0 m
13	148 ft	11,030 ft	133.44	CONCRETE	823 ft	0 ft
	45 m	3,362 m	137.80		251 m	0 m
31	148 ft	11,030 ft	313.45	CONCRETE	761 ft	0 ft
	45 m	3,362 m	317.82		232 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	DME	IBNA	109.90 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
02R	DME	IUQU	111.75 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
20L	DME	ISSX	109.35 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
02C	LOC-ILS	IEZN	110.75 MHz	18 nm	17.91	-	598 ft
				33 km	22.28		598 m
02L	LOC-ILS	IBNA	109.90 MHz	18 nm	17.57	-	548 ft
				33 km	21.94		548 m
02R	LOC-ILS	IUQU	111.75 MHz	18 nm	17.92	-	536 ft
				33 km	22.28		536 m
20L	LOC-ILS	ISSX	109.35 MHz	18 nm	197.92	-	598 ft
				33 km	202.28		598 m
20R	LOC-ILS	IVIY	111.30 MHz	18 nm	197.58	-	598 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	201.94		598 m
31	LOC-ILS	IPNO	111.95 MHz	18 nm	313.42	-	598 ft
				33 km	317.79		598 m
02C	GS	IEZN	110.75 MHz	10 nm	18.83	3.00	598 ft
				19 km	23.19		598 m
02L	GS	IBNA	109.90 MHz	10 nm	18.16	3.00	595 ft
				19 km	22.52		595 m
02R	GS	IUQU	111.75 MHz	10 nm	18.83	3.00	582 ft
				19 km	23.20		582 m
20L	GS	ISSX	109.35 MHz	10 nm	198.83	3.00	535 ft
				19 km	203.20		535 m
20R	GS	IVIY	111.30 MHz	10 nm	198.16	3.00	562 ft
				19 km	202.52		562 m
31	GS	IPNO	111.95 MHz	10 nm	313.88	3.00	575 ft
				19 km	318.24		575 m

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.732 E

METAR

KDFW 060453Z 18006KT 10SM SCT045 BKN060 BKN250 23/20 A2986 RMK A02 SLP105 T02330200 \$

TAF

KDFW 060300Z 0603/0706 13007KT P6SM BKN050 FM060900 15005KT P6SM BKN012 TEMPO 0613/0616 5SM BR OVC009 FM061800 1800

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL	REC - 135.92 MHz - ATIS DEPARTURE
COM - 122.95 MHz - UNICOM	CLD - 128.25 MHz - CLNC DEL
GND - 121.65 MHz - RGNL GND EAST 1	GND - 121.80 MHz - RGNL GND EAST 2
GND - 121.85 MHz - RGNL GND WEST	TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 127.50 MHz - RGNL TWR EAST 2	TWR - 134.90 MHz - RGNL TWR WEST 1
TWR - 124.15 MHz - RGNL TWR WEST 2	APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.52 MHz - RGNL APP EAST 3	APP - 133.62 MHz - RGNL APP WEST 1
APP - 119.87 MHz - RGNL APP WEST 2	DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 124.82 MHz - RGNL DEP NORTH 1	DEP - 125.12 MHz - RGNL DEP SOUTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.45		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.53		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.51		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.51		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.80		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.80		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m