

# URKA

Anapa Vityazevo Regl


# URFF

Simferopol Intl

2024/06/11 1252Z

URKA PALER URFF

144.11 nm / 266.90 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URKA	-	45.00210	0 ft	-	Anapa Vityazevo Regl
APT	-	37.34730	0 m		
PALER	-	45.15330	12,500 ft	35	-
FIX	-	36.54500	3,810 m		
URFF	-	45.03810	0 ft	108	Simferopol Intl
APT	-	33.98150	0 m		

## URKA

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 1

Elevation: 176 ft / 54 m  
Location: 45.002100 37.347300  
Magnetic Var: 7.805 E

## METAR

URKA 111230Z 27005MPS 9999 FEW/// 27/20 Q1012 R21/010070 NOSIG RMK QFE754/1006

## TAF

TAF TAF URKA 111053Z 1112/1212 24005MPS 9999 SCT030CB BECMG 1115/1117 33003MPS CAVOK BECMG 1200/1202 18003MPS TEM

## Frequencies

TWR - 119.80 MHz - ANAPA TOWER  
REC - 125.40 MHz - ANAPA ATIS

COM - 118.70 MHz - ANAPA RADAR  
TWR - 118.90 MHz - ANAPA GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,210 ft	42.13	CONCRETE	0 ft	0 ft
	45 m	2,502 m	34.33		0 m	0 m
22	148 ft	8,210 ft	222.15	CONCRETE	0 ft	0 ft
	45 m	2,502 m	214.34		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAN	109.10 MHz	18 nm	42.14	-	176 ft
				33 km	34.33		176 m
22	LOC-ILS	IAP	110.90 MHz	18 nm	222.14	-	176 ft
				33 km	214.33		176 m
04	GS	IAN	109.10 MHz	10 nm	42.14	3.00	176 ft
				19 km	34.33		176 m
22	GS	IAP	110.90 MHz	10 nm	222.14	3.00	176 ft
				19 km	214.33		176 m

## URFF

Region: RUSSIA  
Timezone: EUROPE/SIMFEROPOL  
Runways: 2

Elevation: 600 ft / 183 m  
Location: 45.038100 33.981500  
Magnetic Var: 7.464 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 127.20 MHz - ATIS  
TWR - 120.80 MHz - SIMFEROPOL TOWER  
CLD - 123.17 MHz - SIMFEROPOL CLEARANCE  
GND - 119.00 MHz - SIMFEROPOL GROUND  
APP - 124.70 MHz - SIMFEROPOL APPROACH  
COM - 122.80 MHz - SIMFEROPOL UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	192 ft	12,150 ft	13.53	CONCRETE	0 ft	0 ft
	59 m	3,703 m	6.07		0 m	0 m
19	192 ft	12,150 ft	193.54	CONCRETE	0 ft	0 ft
	59 m	3,703 m	186.08		0 m	0 m
01R	180 ft	8,712 ft	9.67	CONCRETE	0 ft	0 ft
	55 m	2,655 m	2.20		0 m	0 m
19L	180 ft	8,712 ft	189.67	CONCRETE	0 ft	0 ft
	55 m	2,655 m	182.21		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ISN	109.30 MHz	18 nm	13.54	-	600 ft
				33 km	6.08		600 m
19	LOC-ILS	ISF	111.10 MHz	18 nm	193.54	-	600 ft
				33 km	186.08		600 m
01	GS	ISN	109.30 MHz	10 nm	13.54	3.00	600 ft
				19 km	6.08		600 m
19	GS	ISF	111.10 MHz	10 nm	193.54	3.00	600 ft
				19 km	186.08		600 m