

X39

TAMPA NORTH AERO PARK


KVDF

Tampa Executive

2024/05/02 1217Z

X39 KVDF

12.60 nm / 23.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
X39	-	28.22130	0 ft	-	TAMPA NORTH AERO PARK
APT	-	-82.37460	0 m		
KVDF	-	28.01310	0 ft	12	Tampa Executive
APT	-	-82.34600	0 m		

KVDF

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 20 ft / 6 m
Location: 28.013100 -82.346000
Magnetic Var: 6.312 W

METAR

KVDF 021155Z AUTO 00000KT 10SM CLR 22/22 A2996 RMK A02

TAF

UNKNOWN

Frequencies

REC - 121.12 MHz - AWOS-3
APP - 119.90 MHz - TAMPA APPROACH

COM - 122.70 MHz - CTAF
DEP - 119.90 MHz - TAMPA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	100 ft	5,009 ft	42.25	ASPHALT	0 ft	148 ft
	30 m	1,527 m	48.56		0 m	45 m
23	100 ft	5,009 ft	222.26	ASPHALT	807 ft	144 ft
	30 m	1,527 m	228.57		246 m	44 m
18	73 ft	3,231 ft	180.18	ASPHALT	0 ft	0 ft
	22 m	985 m	186.49		0 m	0 m
36	73 ft	3,231 ft	0.18	ASPHALT	0 ft	0 ft
	22 m	985 m	6.49		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	IVDF	111.35 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
23	LOC-ILS	IVDF	111.35 MHz	18 nm	222.26	-	20 ft
				33 km	228.57		20 m
23	LOC-LOC	IVDF	111.35 MHz	18 nm	222.25	-	22 ft
				33 km	228.56		22 m
23	GS	IVDF	111.35 MHz	10 nm	222.26	3.10	20 ft
				19 km	228.57		20 m