

KORD

CHICAGO OHARE INTL


OMAA

ABU DHABI INTL

2024/05/07 0415Z

KORD PETTY PECOK ASP 5000N08000W HELMO TEFFO KENKI DARUB 7100N05000W 7300N04000W 7500N02000W  
7500N00000E 7400N01000E BARUX VANOS **A74** PELOR UREPI BD SW FV US PT ST **R120** ALABO N72 ULDUS **UP574**  
SYZ **G666** ORSAR OMAA

16300.05 nm / 30187.70 km



## Notes

Requested: KORD RAYNR BRTMN DNIKA TAAYZ PETTY PECOK ASP 5000N 08000W HELMO TEFFO KENKI DARUB 7100N 05000W 7300N 04

Unmatched points: RAYNR BRTMN DNIKA TAAYZ P65 G476 B958 BD5T BD5T R11 A722 G724 G821 BAKUV G666 TANGA

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD APT	-	41.98274 -87.90631	0 ft 0 m	-	CHICAGO OHARE INTL
PETTY FIX	-	42.82736 -87.63392	0 ft 0 m	52	-
PECOK FIX	-	44.00769 -85.72075	0 ft 0 m	109	-
ASP VOR	-	44.44914 -83.39428	0 ft 0 m	103	AU SABLE VOR-DME
5000N08000W LATLON	-	50.00000 -80.00000	0 ft 0 m	360	-
HELMO FIX	-	56.01500 -75.00000	0 ft 0 m	403	-
TEFFO FIX	-	62.80000 -67.00000	0 ft 0 m	474	-
KENKI FIX	-	65.00000 -63.00000	0 ft 0 m	169	-
DARUB FIX	-	67.00000 -60.00000	0 ft 0 m	140	-
7100N05000W LATLON	-	71.00000 -50.00000	0 ft 0 m	321	-
7300N04000W LATLON	-	73.00000 -40.00000	0 ft 0 m	220	-
7500N02000W LATLON	-	75.00000 -20.00000	0 ft 0 m	350	-
7500N00000E LATLON	-	75.00000 0.00000	0 ft 0 m	309	-
7400N01000E LATLON	-	74.00000 10.00000	0 ft 0 m	171	-
BARUX FIX	-	71.29722 24.63889	0 ft 0 m	307	-
VANOS FIX	-	69.41667 30.03333	0 ft 0 m	156	-
NISEN FIX	A74 AWY-LO	69.14167 30.65333	0 ft 0 m	21	-
PELOR FIX	A74 AWY-LO	68.61667 31.78000	0 ft 0 m	39	-
UREPI FIX	-	59.27667 38.01944	0 ft 0 m	583	-
BD NDB	-	57.10778 37.71194	0 ft 0 m	130	BOGDANOVO NDB
SW NDB	-	56.36806 37.43111	0 ft 0 m	45	SAVELOVO NDB
FV NDB	-	54.34556 38.23861	0 ft 0 m	124	VEDEV NDB
US NDB	-	53.74472 38.49611	0 ft 0 m	37	MURAVLYANKA NDB
PT NDB	-	51.71833 40.18944	0 ft 0 m	136	PETROVSKOYE NDB
ST NDB	-	49.25889 43.67944	0 ft 0 m	198	SIROTINSKAYA NDB
GOGIN FIX	R120 AWY-HI	48.78167 44.34667	0 ft 0 m	38	-
NOKLI	R120	48.02500	0 ft	54	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.11333	0 m		
KARNI	R120	46.95500	0 ft	76	-
FIX	AWY-LO	46.14694	0 m		
BASKO	R120	46.20000	0 ft	53	-
FIX	AWY-LO	46.84861	0 m		
UP	R120	45.92722	0 ft	18	ZENZELI NDB
NDB	AWY-HI	47.06028	0 m		
LABUG	R120	45.35833	0 ft	38	-
FIX	AWY-LO	47.45861	0 m		
KOTOD	R120	44.54000	0 ft	54	-
FIX	AWY-LO	48.00361	0 m		
BETOR	R120	43.86806	0 ft	44	-
FIX	AWY-LO	48.44028	0 m		
ALABO	R120	43.20472	0 ft	43	-
FIX	AWY-LO	48.86528	0 m		
N72	-	41.28759	0 ft	4879	Warwick Municipal
APT	-	-74.28709	0 m		
ULDUS	-	37.99907	0 ft	5184	-
FIX	-	51.01673	0 m		
SEMSU	UP574	36.83139	0 ft	70	-
FIX	AWY-HI	51.15417	0 m		
TRN	UP574	35.69697	0 ft	68	TEHRAN VOR-DME
VOR	AWY-HI	51.28378	0 m		
RABAM	UP574	34.54222	0 ft	70	-
FIX	AWY-HI	51.50139	0 m		
DOBAS	UP574	34.01417	0 ft	32	-
FIX	AWY-HI	51.59889	0 m		
LARAB	UP574	33.73750	0 ft	16	-
FIX	AWY-HI	51.64972	0 m		
ISN	UP574	32.74697	0 ft	60	ESFAHAN VOR-DME
VOR	AWY-HI	51.82800	0 m		
GESIP	UP574	31.76556	0 ft	60	-
FIX	AWY-HI	52.06639	0 m		
KAVOT	UP574	30.68639	0 ft	66	-
FIX	AWY-HI	52.32278	0 m		
SYZ	UP574	29.54017	0 ft	70	SHIRAZ SHAHID DASTGHAIB VOR-DM
VOR	AWY-HI	52.58878	0 m		
KUPTO	G666	28.40500	0 ft	70	-
FIX	AWY-HI	52.90889	0 m		
LAM	G666	27.36714	0 ft	64	LAMERD NDB
NDB	AWY-HI	53.19522	0 m		
LVA	G666	26.80003	0 ft	35	LAVAN ISLAND NDB
NDB	AWY-LO	53.38631	0 m		
DATUT	G666	26.56167	0 ft	17	-
FIX	AWY-LO	53.56194	0 m		
ORSAR	G666	26.07500	0 ft	36	-
FIX	AWY-HI	53.95833	0 m		
OMAA	-	24.43305	0 ft	105	ABU DHABI INTL
APT	-	54.65118	0 m		

## KORD

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 6

Elevation: 680 ft / 207 m  
Location: 41.973400 -87.906600  
Magnetic Var: 4.110 W

## METAR

KORD 070351Z 11006KT 10SM SCT250 17/11 A2982 RMK AO2 SLP097 T01670106 \$

## TAF

KORD 070254Z 0703/0806 09010KT P6SM FEW050 SCT250 FM070400 12012KT P6SM SCT050 TEMPO 0713/0715 25015G25KT 2SM TSR

## Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.98		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.52		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m

## OMAA

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 24.443400 54.652700  
Magnetic Var: 2.280 E

## METAR

OMAA 070400Z 15011KT CAVOK 32/21 Q1007 NOSIG

## TAF

TAF TAF OMAA 062300Z 0700/0806 18008KT 8000 NSC BECMG 0710/0712 33012KT BECMG 0716/0718 08006KT

## Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m