


2024/05/21 0619Z

LTBA VADEN **L615** AKADO **L613** VIC **L615** BAYMI LSGG

1042.75 nm / 1931.17 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA	-	40.97610	0 ft	-	Istanbul Ataturk
APT	-	28.81420	0 m	-	
VADEN	-	42.06560	34,700 ft	97	-
FIX	-	27.21610	10,577 m	-	-
OGOTA	L615	43.21420	35,000 ft	185	-
FIX	AWY-HI	23.32670	10,668 m	-	-
DOLAP	L615	43.37420	35,000 ft	26	-
FIX	AWY-HI	22.76830	10,668 m	-	-
OBLAK	L615	43.48680	35,000 ft	18	-
FIX	AWY-LO	22.36390	10,668 m	-	-
RAVAK	L615	43.68740	35,000 ft	34	-
FIX	AWY-LO	21.62700	10,668 m	-	-
NANER	L615	43.90830	35,000 ft	52	-
FIX	AWY-LO	20.46430	10,668 m	-	-
KOSIV	L615	44.02690	35,000 ft	29	-
FIX	AWY-LO	19.80910	10,668 m	-	-
KUKUN	L615	44.07080	35,000 ft	11	-
FIX	AWY-LO	19.56030	10,668 m	-	-
VEBAR	L615	44.13670	35,000 ft	16	-
FIX	AWY-LO	19.18030	10,668 m	-	-
BOSNA	L615	44.37060	35,000 ft	62	-
FIX	AWY-LO	17.75970	10,668 m	-	-
NAVSU	L615	44.54830	35,000 ft	38	-
FIX	AWY-LO	16.90140	10,668 m	-	-
KOREX	L615	44.77110	35,000 ft	50	-
FIX	AWY-LO	15.76920	10,668 m	-	-
OBALA	L615	44.92030	35,000 ft	35	-
FIX	AWY-LO	14.97250	10,668 m	-	-
NAKIT	L615	45.18810	35,000 ft	66	-
FIX	AWY-LO	13.44780	10,668 m	-	-
ROTAR	L615	45.26280	35,000 ft	19	-
FIX	AWY-LO	12.99560	10,668 m	-	-
TULIK	L615	45.28390	35,000 ft	8	-
FIX	AWY-LO	12.78920	10,668 m	-	-
AKADO	L615	45.33330	35,000 ft	12	-
FIX	AWY-HI	12.50000	10,668 m	-	-
LAPAB	L613	45.52940	35,000 ft	25	-
FIX	AWY-HI	11.97170	10,668 m	-	-
VIC	L613	45.63730	35,000 ft	14	VICENZA
VOR	AWY-HI	11.67640	10,668 m	-	
VADIK	L615	45.64000	35,000 ft	8	-
FIX	AWY-HI	11.47140	10,668 m	-	-
IBUGO	L615	45.64110	35,000 ft	3	-
FIX	AWY-HI	11.37670	10,668 m	-	-
ADOSA	L615	45.64440	35,000 ft	14	-
FIX	AWY-HI	11.02640	10,668 m	-	-
IDREK	L615	45.64610	35,000 ft	8	-
FIX	AWY-HI	10.81940	10,668 m	-	-
ELTAR	L615	45.64750	35,000 ft	8	-
FIX	AWY-HI	10.62780	10,668 m	-	-
NEVNI	L615	45.64830	35,000 ft	8	-
FIX	AWY-HI	10.42250	10,668 m	-	-
OSKOR	L615	45.64920	35,000 ft	12	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	10.11670	10,668 m		
ORI	L615	45.64380	34,600 ft	11	ORIO AL SERIO (BERGAMO)
NDB	AWY-HI	9.84167	10,546 m		
LEGLO	L615	45.65030	33,900 ft	3	-
FIX	AWY-HI	9.76944	10,333 m		
DESIP	L615	45.64580	28,100 ft	27	-
FIX	AWY-HI	9.12583	8,565 m		
SRN	L615	45.64600	27,200 ft	4	SARONNO
VOR	AWY-HI	9.02158	8,291 m		
BAVMI	L615	45.70360	21,600 ft	25	-
FIX	AWY-HI	8.40778	6,584 m		
LSGG	-	46.23810	0 ft	101	Geneva
APT	-	6.10901	0 m		

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.069 E

METAR

LTBA 210550Z 04009KT 010V070 9999 SCT035 BKN100 18/12 Q1017 RMK RWY23 04007KT 360V080

TAF

TAF LTBA 210440Z 2106/2206 02009KT 9999 SCT040 BECMG 2107/2110 CAVOK BECMG 2115/2118 SCT035

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.39		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.39		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.514 E

METAR

LSGG 210550Z AUTO 27002KT 9999 NCD 13/11 Q1010 NOSIG

TAF

TAF TAF LSGG 210525Z 2106/2212 VRB02KT 9999 BKN070 TX18/2115Z TN14/2106Z TN11/2206Z PROB30 TEMPO 2110/2212 23008K

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m