

KDTO

Denton Enterprise


KSAV

Savannah Hilton Head Intl

2024/06/15 1622Z

KDTO UIM **V18** EIC **J20** MGM **J40** MCN **V154** APELE KSAV

820.98 nm / 1520.45 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDTP	-	33.20070	0 ft	-	Denton Enterprise
APT	-	-97.19800	0 m		
UIM	-	32.88050	33,600 ft	94	QUITMAN
VOR	-	-95.36690	10,241 m		
LASSA	V18	32.82240	35,000 ft	43	-
FIX	AWY-LO	-94.50440	10,668 m		
PIKTE	V18	32.79790	35,000 ft	17	-
FIX	AWY-LO	-94.16460	10,668 m		
CADOZ	V18	32.79640	35,000 ft	1	-
FIX	AWY-LO	-94.14410	10,668 m		
EIC	V18	32.77140	35,000 ft	16	BELCHER (SHREVEPORT)
VOR	AWY-LO	-93.80990	10,668 m		
BERKE	J20	32.75510	35,000 ft	10	-
FIX	AWY-HI	-93.59720	10,668 m		
MIXIE	J20	32.72210	35,000 ft	21	-
FIX	AWY-HI	-93.18100	10,668 m		
STAGE	J20	32.71190	35,000 ft	6	-
FIX	AWY-HI	-93.05610	10,668 m		
KAMEN	J20	32.66950	35,000 ft	25	-
FIX	AWY-HI	-92.55210	10,668 m		
MHZ	J20	32.43410	35,000 ft	124	MAGNOLIA (MADISON)
VOR	AWY-HI	-90.09980	10,668 m		
MEI	J20	32.37840	35,000 ft	65	MERIDIAN
VOR	AWY-HI	-88.80430	10,668 m		
MGM	J20	32.22230	35,000 ft	126	MONTGOMERY
VOR	AWY-HI	-86.31970	10,668 m		
MCN	J40	32.69120	27,500 ft	138	MACON
VOR	AWY-HI	-83.64720	8,382 m		
OTGUQ	V154	32.65210	24,700 ft	13	-
FIX	AWY-LO	-83.39290	7,529 m		
CARYS	V154	32.63970	23,800 ft	4	-
FIX	AWY-LO	-83.31380	7,254 m		
APELE	V154	32.62210	22,600 ft	5	-
FIX	AWY-LO	-83.20050	6,888 m		
KSAV	-	32.12740	0 ft	105	Savannah Hilton Head Intl
APT	-	-81.20190	0 m		

KDTO

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 642 ft / 196 m
Location: 33.200700 -97.198000
Magnetic Var: 2.818 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 119.32 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 119.95 MHz -
COM - 119.95 MHz - CTAF
GND - 123.95 MHz - GND/CLNC DEL
APP - 118.10 MHz - RGNL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	7,008 ft	181.06	ASPHALT	0 ft	0 ft
	46 m	2,136 m	178.24		0 m	0 m
36	151 ft	7,008 ft	1.06	ASPHALT	105 ft	0 ft
	46 m	2,136 m	358.24		32 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IDTO	109.10 MHz	18 nm	181.06	-	642 ft
				33 km	178.24		642 m
18	GS	IDTO	109.10 MHz	10 nm	181.06	3.00	642 ft
				19 km	178.24		642 m

KSAV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 50 ft / 15 m
Location: 32.127400 -81.201900
Magnetic Var: 7.514 W

METAR

KSAV 151553Z 00000KT 10SM CLR 34/18 A3000 RMK A02 SLP158 T03390183

TAF

TAF KSAV 151120Z 1512/1612 VRB03KT P6SM SKC FM151400 28006KT P6SM FEW045 FM151800 15010KT P6SM SCT070 FM160400 VR

Frequencies

REC - 123.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.40 MHz - APP/DEP
COM - 119.10 MHz - CTAF
CLD - 119.55 MHz - CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.12		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.14		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.15		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m