

LFLH

Chalon Champforgeuil


LFL

Lyon Saint Exupery

2024/06/05 0739Z

LFLH LSE LFL

67.06 nm / 124.20 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 4000ft
- Cruise Speed: 170kts
- Descent Rate: 500ft/min
- Descent Speed: 130kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLH	-	46.82612	0 ft	-	Chalon Champforgeuil
APT	-	4.81764	0 m		
LSE	-	45.74553	200 ft	65	LYON SAINT EXUPERY VOR-DME
VOR	-	5.09058	61 m		
LFLL	-	45.72581	0 ft	1	Lyon Saint Exupery
APT	-	5.09075	0 m		

LFLH

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 623 ft / 190 m
Location: 46.827500 4.819590
Magnetic Var: 2.190 E

METAR

LFLH 050700Z AUTO 19005KT 150V220 CAVOK 20/14 Q1015

TAF

UNKNOWN

Frequencies

TWR - 118.60 MHz - CHALON INFO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	164 ft	2,846 ft	170.39	GRASS	0 ft	0 ft
	50 m	867 m	168.20		0 m	0 m
35R	164 ft	2,846 ft	350.39	GRASS	0 ft	0 ft
	50 m	867 m	348.20		0 m	0 m
17	98 ft	4,725 ft	170.59	ASPHALT	827 ft	0 ft
	30 m	1,440 m	168.40		252 m	0 m
35	98 ft	4,725 ft	350.59	ASPHALT	531 ft	0 ft
	30 m	1,440 m	348.40		162 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	LOC-LOC	CC	108.50 MHz	18 nm	350.49	-	636 ft
				33 km	348.30		636 m

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.267 E

METAR

LFL 050700Z 15005KT 130V190 CAVOK 20/15 Q1016 NOSIG

TAF

TAF LFL 050500Z 0506/0612 19007KT CAVOK BECMG 0516/0518 VRB02KT PROB30 TEMPO 0518/0520 FEW040TCU

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.88		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.87		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.87		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.88		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.87		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.87		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.88		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.87		818 m