

SPJC

Jorge Chavez Intl


SPME

PEDRO CANGA

2024/05/03 0310Z

SPJC KALAR **UL308** ATATU **UV1** TRU **UL780** VAKUD SPME

556.34 nm / 1030.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SPJC APT	-	-12.02190 -77.11430	0 ft 0 m	-	Jorge Chavez Intl
KALAR FIX	-	-11.24580 -77.49690	18,400 ft 5,608 m	51	-
ATATU FIX	UL308 AWY-HI	-10.19690 -78.01060	35,000 ft 10,668 m	69	-
BTE VOR	UV1 AWY-HI	-9.14755 -78.52190	35,000 ft 10,668 m	69	CHIMBOTE
TRU VOR	UV1 AWY-HI	-8.08752 -79.11250	35,000 ft 10,668 m	72	TRUJILLO
VAKUD FIX	UL780 AWY-HI	-4.50333 -79.56670	16,000 ft 4,877 m	216	-
SPME APT	-	-3.55253 -80.38140	0 ft 0 m	75	PEDRO CANGA

SPJC

Region: PERU
Timezone: AMERICA/LIMA
Runways: 1

Elevation: 113 ft / 34 m
Location: -12.021900 -77.114300
Magnetic Var: 2.900 W

METAR

SPJC 030300Z 16009KT 7000 SCT003 BKN007 20/17 Q1012 NOSIG RMK PP000

TAF

TAF TAF SPJC 022300Z 0300/0324 18010KT 6000 OVC008 TX23/0319Z TN18/0311Z TEMPO 0300/0302 4000 BR BECMG 0310/0312 4

Frequencies

REC - 127.90 MHz - ATIS
TWR - 118.10 MHz - LIMA TOWER
COM - 122.80 MHz - UNICOM
GND - 121.90 MHz - JORGE CHAVEZ GROUND
APP - 119.70 MHz - LIMA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	11,520 ft	154.25	ASPHALT	0 ft	249 ft
	45 m	3,511 m	157.15		0 m	76 m
33	148 ft	11,520 ft	334.25	ASPHALT	1,968 ft	213 ft
	45 m	3,511 m	337.15		600 m	65 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	JCH	109.70 MHz	18 nm	-	-	113 ft
				33 km	-		113 m
15	LOC-ILS	JCH	109.70 MHz	18 nm	154.25	-	183 ft
				33 km	157.15		183 m
15	GS	JCH	109.70 MHz	10 nm	154.51	2.70	118 ft
				19 km	157.41		118 m