


2024/05/11 0658Z

EBBR ARKON EDDW

204.72 nm / 379.14 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBBR	-	50.89995	0 ft	-	Brussels Airport
APT	-	4.49281	0 m		
ARKON	-	51.94778	21,800 ft	102	-
FIX	-	6.66944	6,645 m		
EDDW	-	53.04571	0 ft	101	Bremen
APT	-	8.78900	0 m		

## EBBR

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 3

Elevation: 184 ft / 56 m  
Location: 50.899900 4.492770  
Magnetic Var: 2.002 E

## METAR

EBBR 110620Z 07003KT 8000 NSC 13/11 Q1022 NOSIG

## TAF

TAF EBBR 110520Z 1106/1212 05005KT CAVOK= TAF EDDF 110500Z 1106/1212 04006KT CAVOK BECMG 1210/1212 10007KT

## Frequencies

REC - 121.75 MHz - ATIS DEP  
COM - 130.55 MHz - ABELAG UNICOM  
GND - 118.05 MHz -  
GND - 121.87 MHz -  
TWR - 120.77 MHz -  
APP - 120.10 MHz -  
DEP - 126.62 MHz -

REC - 132.47 MHz - ATIS ARR  
CLD - 121.95 MHz - CLNC DEL  
GND - 121.70 MHz -  
TWR - 118.60 MHz -  
APP - 118.25 MHz -  
APP - 122.50 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	11,917 ft	65.37	ASPHALT	843 ft	72 ft
	45 m	3,632 m	63.37		257 m	22 m
25R	148 ft	11,917 ft	245.41	ASPHALT	981 ft	0 ft
	45 m	3,632 m	243.41		299 m	0 m
07R	148 ft	10,522 ft	69.88	ASPHALT	407 ft	0 ft
	45 m	3,207 m	67.87		124 m	0 m
25L	148 ft	10,522 ft	249.91	ASPHALT	0 ft	13 ft
	45 m	3,207 m	247.91		0 m	4 m
01	164 ft	9,810 ft	14.44	ASPHALT	157 ft	0 ft
	50 m	2,990 m	12.44		48 m	0 m
19	164 ft	9,810 ft	194.45	ASPHALT	722 ft	43 ft
	50 m	2,990 m	192.45		220 m	13 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IBX	109.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
19	DME	IBM	111.15 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
25R	DME	IBR	108.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
01	LOC-ILS	IBX	109.90 MHz	18 nm	14.45	-	184 ft
				33 km	12.45		184 m
19	LOC-ILS	IBM	111.15 MHz	18 nm	194.45	-	184 ft
				33 km	192.45		184 m
25L	LOC-ILS	IBL	110.35 MHz	18 nm	249.89	-	184 ft
				33 km	247.89		184 m
25R	LOC-ILS	IBR	108.90 MHz	18 nm	245.39	-	184 ft
				33 km	243.39		184 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	GS	IBX	109.90 MHz	10 nm	14.45	3.00	184 ft
				19 km	12.45		184 m
19	GS	IBM	111.15 MHz	10 nm	194.45	3.00	184 ft
				19 km	192.45		184 m
25L	GS	IBL	110.35 MHz	10 nm	249.89	3.00	184 ft
				19 km	247.89		184 m
25R	GS	IBR	108.90 MHz	10 nm	245.39	3.00	184 ft
				19 km	243.39		184 m

## EDDW

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 14 ft / 4 m  
Location: 53.045700 8.789000  
Magnetic Var: 3.302 E

## METAR

EDDW 110620Z AUTO 35005KT 300V060 9999 BKN016 13/08 Q1024 NOSIG

## TAF

TAF EDDW 110500Z 1106/1206 06006KT 9999 BKN013 BECMG 1106/1108 CAVOK

## Frequencies

GND - 121.75 MHz -  
TWR - 118.50 MHz -  
APP - 124.80 MHz - RADAR

TWR - 125.10 MHz - INFO  
TWR - 134.82 MHz -  
APP - 136.27 MHz - RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft	2,299 ft	51.50	ASPHALT	0 ft	0 ft
	23 m	701 m	48.20		0 m	0 m
23	75 ft	2,299 ft	231.51	ASPHALT	0 ft	0 ft
	23 m	701 m	228.20		0 m	0 m
09	148 ft	8,616 ft	87.78	ASPHALT	945 ft	0 ft
	45 m	2,626 m	84.48		288 m	0 m
27	148 ft	8,616 ft	267.82	ASPHALT	984 ft	0 ft
	45 m	2,626 m	264.51		300 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBRE	110.30 MHz	18 nm	87.80	-	14 ft
				33 km	84.50		14 m
27	LOC-ILS	IBRW	110.90 MHz	18 nm	267.80	-	14 ft
				33 km	264.50		14 m
09	GS	IBRE	110.30 MHz	10 nm	87.80	3.00	14 ft
				19 km	84.50		14 m
27	GS	IBRW	110.90 MHz	10 nm	267.80	3.00	14 ft
				19 km	264.50		14 m