

# LGTS

Thessaloniki Makedonia International Airport


# LGAV

Athens Eleftherios Venizelos

2024/06/06 0346Z

LGTS D266L AMSIV EVIKO GERMI D111Q D205W D192K CI03R FD03R 50VOR 25VOR LGAV

232.14 nm / 429.92 km



## Notes

Requested: LGTS IMAK D266L AMSIV EVIKO GERMI D111Q D205W D192K CI03R FD03R 50VOR FI03R 25VOR LGAV  
Unmatched points: IMAK FI03R

## Route

Ident		Via	Lat		Alt	Dist	Name
Type			Lon			(nm)	
LGTS	-	40.52010	0 ft	-	Thessaloniki	Makedonia	International Airport
APT	-	22.96910	0 m				
D266L	-	40.45750	0 ft	11	-		
FIX	-	22.72900	0 m				
AMSIV	-	39.91030	0 ft	40	-		
FIX	-	23.26170	0 m				
EVIKO	-	39.18890	0 ft	44	-		
FIX	-	23.43750	0 m				
GERMI	-	38.16560	0 ft	63	-		
FIX	-	23.12440	0 m				
D111Q	-	37.82150	0 ft	21	-		
FIX	-	23.25890	0 m				
D205W	-	37.57840	0 ft	26	-		
FIX	-	23.71210	0 m				
D192K	-	37.71460	0 ft	8	-		
FIX	-	23.74620	0 m				
CI03R	-	37.73910	0 ft	1	-		
FIX	-	23.76850	0 m				
FD03R	-	37.79940	0 ft	4	-		
FIX	-	23.82170	0 m				
50VOR	-	37.85210	0 ft	4	-		
FIX	-	23.87340	0 m				
25VOR	-	37.88510	0 ft	2	-		
FIX	-	23.90570	0 m				
LGAV	-	37.93670	0 ft	3	Athens Eleftherios Venizelos		
APT	-	23.94450	0 m				

## LGTS

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 21 ft / 6 m  
Location: 40.520100 22.969100  
Magnetic Var: 5.275 E

## METAR

LGTS 060320Z 30006KT 9999 FEW025 25/17 Q1013 NOSIG

## TAF

TAF LGTS 052300Z 0600/0624 VRB03KT 9999 FEW025 BECMG 0602/0604 33015KT BECMG 0611/0613 18015KT PROB40 TEMPO 0612/

## Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.71		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.73		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.16		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.16		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.72		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.16		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.72		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.16		21 m

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.114 E

## METAR

LGAV 060320Z VRB01KT 9999 FEW025 20/09 Q1013 NOSIG

## TAF

TAF TAF LGAV 052300Z 0600/0624 VRB03KT 9999 FEW025 BECMG 0605/0607 04010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.77		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.74		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.40		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.92		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.95		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.95		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.92		282 m