

UHWW

Vladivostok Knevichi Intl


UHPP

Petropavlovsk-Kamchatskiy Yelizovo Intl

2024/04/28 0429Z

UHWW BL **B356** TD **B962** DITOR **R968** NAMUL **B915** LEDRU UHPP

1205.69 nm / 2232.93 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 320ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UHWW	-	43.39690	0 ft	-	Vladivostok Knevichi Intl
APT	-	132.15000	0 m		
BL	-	44.20110	300 ft	64	CHERNYSHEVKA
NDB	-	133.12100	91 m		
LUBOK	B356	44.91690	300 ft	53	-
FIX	AWY-HI	133.86800	91 m		
TD	B356	45.90080	300 ft	72	BOGUSLAVETS
NDB	AWY-HI	134.86600	91 m		
LUTEL	B962	46.35690	300 ft	45	-
FIX	AWY-HI	135.73800	91 m		
NEBKA	B962	46.71860	300 ft	35	-
FIX	AWY-HI	136.40800	91 m		
BAPRI	B962	47.00860	300 ft	28	-
FIX	AWY-HI	136.95600	91 m		
DEPOR	B962	47.36890	300 ft	35	-
FIX	AWY-HI	137.65200	91 m		
MAVUN	B962	47.77530	300 ft	40	-
FIX	AWY-HI	138.46100	91 m		
PAREN	B962	47.98030	300 ft	20	-
FIX	AWY-HI	138.87800	91 m		
TENLA	B962	48.06220	300 ft	8	-
FIX	AWY-HI	139.04700	91 m		
SUMOG	B962	48.45360	300 ft	40	-
FIX	AWY-HI	139.87100	91 m		
AKOLA	B962	48.60030	300 ft	15	-
FIX	AWY-HI	140.18500	91 m		
ROPMI	B962	48.83690	300 ft	33	-
FIX	AWY-HI	140.94100	91 m		
NALAM	B962	49.00860	300 ft	24	-
FIX	AWY-HI	141.50100	91 m		
DITOR	B962	49.18360	300 ft	25	-
FIX	AWY-HI	142.08500	91 m		
ARDOK	R968	49.83860	300 ft	98	-
FIX	AWY-HI	144.39900	91 m		
BARUL	R968	50.26640	300 ft	68	-
FIX	AWY-HI	146.04500	91 m		
ROMUK	R968	51.17190	300 ft	159	-
FIX	AWY-HI	150.00200	91 m		
NAMUL	R968	52.63830	300 ft	189	-
FIX	AWY-HI	154.52800	91 m		
LEDRU	B915	52.77000	300 ft	46	-
FIX	AWY-HI	155.78500	91 m		
UHPP	-	53.16980	0 ft	99	Petropavlovsk-Kamchatskiy Yelizovo Intl
APT	-	158.45200	0 m		

UHWW

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 1

Elevation: 41 ft / 12 m
Location: 43.396900 132.150000
Magnetic Var: 10.805 W

METAR

UHWW 280400Z 24005MPS 9999 NSC 15/05 Q1017 R25L/290065 NOSIG RMK QFE762

TAF

TAF UHWW 280150Z 2803/2903 24003G08MPS 9999 FEW010 BKN020CB BECMG 2810/2812 06003MPS BECMG 2813/2815 6000 -SHRA B

Frequencies

APP - 124.70 MHz - VLADIVOSTOK APPROACH
GND - 121.70 MHz - VLADIVOSTOK GROUND
TWR - 126.00 MHz - VLADIVOSTOK TOWER
REC - 127.80 MHz - VLADIVOSTOK ATIS
COM - 119.50 MHz - VLADIVOSTOK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	11,485 ft	60.92	CONCRETE	0 ft	243 ft
	60 m	3,501 m	71.72		0 m	74 m
25L	197 ft	11,485 ft	240.94	CONCRETE	0 ft	246 ft
	60 m	3,501 m	251.75		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ILN	110.10 MHz	18 nm	240.93	-	41 ft
				33 km	251.73		41 m
07R	LOC-ILS	ILS	109.30 MHz	18 nm	60.93	-	41 ft
				33 km	71.73		41 m
25L	GS	ILN	110.10 MHz	10 nm	240.93	3.00	41 ft
				19 km	251.73		41 m
07R	GS	ILS	109.30 MHz	10 nm	60.93	3.01	41 ft
				19 km	71.73		41 m

UHPP

Region: RUSSIA
Timezone: ASIA/KAMCHATKA
Runways: 2

Elevation: 129 ft / 39 m
Location: 53.169800 158.452000
Magnetic Var: 6.928 W

METAR

UHPP 280400Z 18004MPS 9999 -SHRA BKN006 BKN028CB 03/03 Q1006 R16R/290160 NOSIG RMK MT OBSC QFE752/1002

TAF

TAF UHPP 280140Z 2803/2909 16003G10MPS 6000 -SHRA OVC016CB TEMPO 2803/2808 BKN006 OVC015CB TEMPO 2808/2821 1000 -

Frequencies

TWR - 118.10 MHz - PETROPAVLOVSK TOWER
COM - 119.40 MHz - PETROPAVLOVSK RADAR
GND - 118.90 MHz - PETROPAVLOVSK GROUND

APP - 131.90 MHz - PETROPAVLOVSK APPROACH
REC - 126.80 MHz - PETROPAVLOVSK ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	148 ft	11,170 ft	157.45	CONCRETE	0 ft	236 ft
	45 m	3,405 m	164.38		0 m	72 m
34L	148 ft	11,170 ft	337.46	CONCRETE	0 ft	266 ft
	45 m	3,405 m	344.39		0 m	81 m
16L	197 ft	11,150 ft	157.45	CONCRETE	0 ft	246 ft
	60 m	3,399 m	164.37		0 m	75 m
34R	197 ft	11,150 ft	337.46	CONCRETE	0 ft	243 ft
	60 m	3,399 m	344.39		0 m	74 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKM	109.90 MHz	18 nm	157.46	-	129 ft
				33 km	164.39		129 m
34L	LOC-ILS	ILW	108.70 MHz	18 nm	337.46	-	129 ft
				33 km	344.39		129 m
16R	GS	IKM	109.90 MHz	10 nm	157.46	2.70	129 ft
				19 km	164.39		129 m
34L	GS	ILW	108.70 MHz	10 nm	337.46	2.70	129 ft
				19 km	344.39		129 m