


2024/05/04 0452Z

RJTT TAISI TOHME **Y54** KOHWA **Y12** KEC **Y24** TURFY **Y242** PANCH RJOK

367.94 nm / 681.43 km



Notes

Requested: RJTT TAISI TOHME Y54 KOHWA Y12 KEC Y24 TURFY Y242 PANCH YOSAKE RJOK

Unmatched points: Y242 YOSAKE

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJTT	-	35.54790	0 ft	-	Tokyo Intl
APT	-	139.78900	0 m		
TAISI	-	34.94560	0 ft	55	-
FIX	-	138.94300	0 m		
TOHME	-	34.85320	0 ft	72	-
FIX	-	137.47400	0 m		
KOHWA	Y54	34.70460	0 ft	26	-
FIX	AWY-HI	136.95800	0 m		
SHIMA	Y12	34.30440	0 ft	30	-
FIX	AWY-HI	136.58900	0 m		
AYANO	Y12	34.09610	0 ft	15	-
FIX	AWY-HI	136.39400	0 m		
RAYJO	Y12	33.83000	0 ft	20	-
FIX	AWY-HI	136.14600	0 m		
KEC	Y12	33.44770	0 ft	28	KUSHIMOTO
VOR	AWY-HI	135.79400	0 m		
ALBAT	Y24	33.36450	0 ft	18	-
FIX	AWY-HI	135.44200	0 m		
HALON	Y24	33.24880	0 ft	23	-
FIX	AWY-HI	134.99700	0 m		
TURFY	Y24	33.16250	0 ft	18	-
FIX	AWY-HI	134.64200	0 m		
PANCH	Y242	33.18920	0 ft	27	-
FIX	AWY-HI	134.08800	0 m		
RJOK	-	33.54600	0 ft	30	KOCHI
APT	-	133.66900	0 m		

RJTT

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 4

Elevation: 20 ft / 6 m
Location: 35.547900 139.789000
Magnetic Var: 7.805 W

METAR

RJTT 040430Z 07004KT 9999 FEW030 24/10 Q1019 BECMG TL0500 18010KT

TAF

TAF RJTT 032305Z 0400/0506 04006KT 9999 FEW030 BECMG 0400/0402 12006KT BECMG 0404/0406 20012KT

Frequencies

REC - 128.80 MHz - TOKYO ATIS	CLD - 121.87 MHz - TOKYO DELIVERY
CLD - 121.82 MHz - TOKYO DELIVERY	GND - 118.22 MHz - TOKYO GROUND
GND - 121.62 MHz - TOKYO GROUND	GND - 121.70 MHz - TOKYO GROUND
GND - 121.97 MHz - TOKYO GROUND	GND - 122.07 MHz - TOKYO GROUND
TWR - 118.10 MHz - TOKYO TOWER	TWR - 118.57 MHz - TOKYO TOWER
TWR - 118.72 MHz - TOKYO TOWER	TWR - 124.35 MHz - TOKYO TOWER
TWR - 118.80 MHz - TOKYO TOWER	TWR - 116.20 MHz - TOKYO TOWER
APP - 119.10 MHz - TOKYO APPROACH	APP - 119.40 MHz - TOKYO APPROACH
APP - 119.65 MHz - TOKYO APPROACH	APP - 119.70 MHz - TOKYO APPROACH
APP - 125.40 MHz - TOKYO APPROACH	APP - 121.27 MHz - TOKYO APPROACH
APP - 124.40 MHz - TOKYO APPROACH	APP - 125.20 MHz - TOKYO APPROACH
APP - 125.80 MHz - TOKYO APPROACH	APP - 127.70 MHz - TOKYO APPROACH
DEP - 126.00 MHz - TOKYO DEPARTURE	DEP - 120.80 MHz - TOKYO DEPARTURE
DEP - 127.50 MHz - TOKYO DEPARTURE	DEP - 127.60 MHz - TOKYO DEPARTURE
DEP - 124.20 MHz - TOKYO DEPARTURE	DEP - 119.60 MHz - TOKYO DEPARTURE
DEP - 120.60 MHz - TOKYO DEPARTURE	DEP - 125.52 MHz - TOKYO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	11,039 ft	150.01	ASPHALT	0 ft	190 ft
	60 m	3,365 m	157.81		0 m	58 m
34R	197 ft	11,039 ft	330.02	ASPHALT	1,181 ft	194 ft
	60 m	3,365 m	337.82		360 m	59 m
04	197 ft	8,211 ft	34.92	ASPHALT	0 ft	194 ft
	60 m	2,503 m	42.73		0 m	59 m
22	197 ft	8,211 ft	214.93	ASPHALT	0 ft	190 ft
	60 m	2,503 m	222.74		0 m	58 m
16R	197 ft	9,855 ft	149.98	ASPHALT	0 ft	0 ft
	60 m	3,004 m	157.79		0 m	0 m
34L	197 ft	9,855 ft	329.99	ASPHALT	0 ft	190 ft
	60 m	3,004 m	337.80		0 m	58 m
05	197 ft	8,206 ft	42.44	ASPHALT	0 ft	190 ft
	60 m	2,501 m	50.25		0 m	58 m
23	197 ft	8,206 ft	222.45	ASPHALT	0 ft	194 ft
	60 m	2,501 m	230.26		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IAD	108.10 MHz	18 nm	-	-	46 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		46 m
23	DME	ITD	110.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
34L	DME	IHA	111.70 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
34R	DME	ITC	108.90 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
16L	LOC-ILS	IOC	111.95 MHz	18 nm	150.02	-	20 ft
				33 km	157.82		20 m
16R	LOC-ILS	ITA	111.55 MHz	18 nm	149.99	-	20 ft
				33 km	157.79		20 m
22	LOC-ILS	IAD	108.10 MHz	18 nm	214.93	-	20 ft
				33 km	222.73		20 m
23	LOC-ILS	ITD	110.50 MHz	18 nm	222.45	-	20 ft
				33 km	230.25		20 m
34L	LOC-ILS	IHA	111.70 MHz	18 nm	329.99	-	20 ft
				33 km	337.79		20 m
34R	LOC-ILS	ITC	108.90 MHz	18 nm	330.02	-	20 ft
				33 km	337.82		20 m
16L	GS	IOC	111.95 MHz	10 nm	150.02	3.00	20 ft
				19 km	157.82		20 m
16R	GS	ITA	111.55 MHz	10 nm	149.99	3.00	20 ft
				19 km	157.79		20 m
22	GS	IAD	108.10 MHz	10 nm	214.93	3.00	20 ft
				19 km	222.73		20 m
23	GS	ITD	110.50 MHz	10 nm	222.45	3.00	20 ft
				19 km	230.25		20 m
34L	GS	IHA	111.70 MHz	10 nm	329.99	3.00	20 ft
				19 km	337.79		20 m
34R	GS	ITC	108.90 MHz	10 nm	330.02	3.00	20 ft
				19 km	337.82		20 m

RJOK

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 41 ft / 12 m
Location: 33.546000 133.669000
Magnetic Var: 7.853 W

METAR

RJOK 040400Z 20009KT 160V230 9999 FEW030 23/15 Q1020

TAF

TAF RJOK 032305Z 0400/0506 35004KT 9999 FEW030 BECMG 0400/0402 18006KT BECMG 0410/0412 35005KT BECMG 0421/0500 14

Frequencies

REC - 126.45 MHz - KOCHI ATIS	DEP - 124.80 MHz - KOCHI DEPARTURE
DEP - 125.00 MHz - KOCHI DEPARTURE	APP - 125.00 MHz - KOCHI APPROACH
APP - 124.80 MHz - KOCHI APPROACH	TWR - 118.75 MHz - KOCHI TOWER
TWR - 126.20 MHz - KOCHI TOWER	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	8,210 ft	130.63	ASPHALT	0 ft	197 ft
	45 m	2,502 m	138.48		0 m	60 m
32	148 ft	8,210 ft	310.64	ASPHALT	0 ft	197 ft
	45 m	2,502 m	318.50		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IKR	110.90 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
32	LOC-ILS	IKR	110.90 MHz	18 nm	310.64	-	41 ft
				33 km	318.49		41 m
32	GS	IKR	110.90 MHz	10 nm	310.64	3.00	41 ft
				19 km	318.49		41 m