


2024/05/07 1735Z

NTGV MIKAT **A220** TAF NTAA

170.52 nm / 315.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NTGV	-	-14.87240	0 ft	-	Mataiva
APT	-	-148.71400	0 m		
MIKAT	-	-15.68330	17,400 ft	48	-
FIX	-	-148.80000	5,304 m		
TAF	A220	-17.54710	100 ft	121	TAHITI
VOR	AWY-HI	-149.60200	30 m		
NTAA	-	-17.55370	0 ft	0	Tahiti Faa'a Intl
APT	-	-149.60700	0 m		

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 071700Z 07003KT 9999 FEW021 26/22 Q1014 NOSIG

TAF

TAF NTAA 071100Z 0712/0818 VRB05KT 9999 FEW025 PROB40 TEMPO 0720/0803 05018G28KT

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m