

KMIE

Delaware County Regional


KIND

Indianapolis International Airport

2024/05/16 1845Z

KMIE ZAVNE KIND

51.98 nm / 96.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KMIE	-	40.24250	0 ft	-		Delaware County Regional
APT	-	-85.39550	0 m			
ZAVNE	-	39.84230	2,300 ft	40	-	
FIX	-	-86.11670	701 m			
KIND	-	39.71820	0 ft	11		Indianapolis International Airport
APT	-	-86.29280	0 m			

KMIE

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 2

Elevation: 937 ft / 286 m
Location: 40.242500 -85.395500
Magnetic Var: 5.745 W

METAR

KMIE 161753Z 13005KT 10SM SCT060 24/13 A2988 RMK A02 SLP111 T02440128 10244 20144 53002

TAF

UNKNOWN

Frequencies

REC - 133.25 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 120.10 MHz - MUNCIE TWR

COM - 120.10 MHz - CTAF
GND - 121.90 MHz - MUNCIE GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	6,498 ft	136.22	ASPHALT	0 ft	0 ft
	46 m	1,981 m	141.97		0 m	0 m
32	150 ft	6,498 ft	316.23	ASPHALT	0 ft	194 ft
	46 m	1,981 m	321.98		0 m	59 m
03	100 ft	5,203 ft	21.75	ASPHALT	0 ft	0 ft
	30 m	1,586 m	27.49		0 m	0 m
21	100 ft	5,203 ft	201.75	ASPHALT	0 ft	203 ft
	30 m	1,586 m	207.50		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	LOC-ILS	IJNK	109.10 MHz	18 nm	316.22	-	937 ft
				33 km	321.96		937 m
32	GS	IJNK	109.10 MHz	10 nm	316.22	3.00	937 ft
				19 km	321.96		937 m

KIND

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 3

Elevation: 793 ft / 242 m
Location: 39.718200 -86.292800
Magnetic Var: 5.032 W

METAR

KIND 161754Z 23006KT 10SM FEW033 FEW065 BKN100 23/15 A2989 RMK A02 SLP118 T02330150 10239 20161 50007

TAF

TAF KIND 161811Z 1618/1724 23008KT P6SM BKN100 FM162100 22006KT P6SM VCSH BKN080 FM170200 22004KT P6SM -SHRA BKN0

Frequencies

REC - 124.40 MHz - ATIS	REC - 134.25 MHz - ATIS
COM - 122.95 MHz - UNICOM	CLD - 128.75 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - INDY GROUND	GND - 121.90 MHz - INDY GROUND
TWR - 120.90 MHz - INDY TOWER	TWR - 127.82 MHz - INDY TOWER
APP - 119.30 MHz - INDIANAPOLIS APPROACH	APP - 124.65 MHz - INDIANAPOLIS APPROACH
APP - 127.15 MHz - INDIANAPOLIS APPROACH	DEP - 119.05 MHz - INDIANAPOLIS DEPARTURE
DEP - 124.95 MHz - INDIANAPOLIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	11,210 ft	44.43	CONCRETE	0 ft	0 ft
	46 m	3,417 m	49.46		0 m	0 m
23R	151 ft	11,210 ft	224.45	CONCRETE	0 ft	0 ft
	46 m	3,417 m	229.48		0 m	0 m
05R	151 ft	10,009 ft	44.45	CONCRETE	0 ft	0 ft
	46 m	3,051 m	49.48		0 m	0 m
23L	151 ft	10,009 ft	224.47	CONCRETE	0 ft	0 ft
	46 m	3,051 m	229.50		0 m	0 m
14	151 ft	7,284 ft	134.65	CONCRETE	0 ft	0 ft
	46 m	2,220 m	139.68		0 m	0 m
32	151 ft	7,284 ft	314.66	CONCRETE	0 ft	0 ft
	46 m	2,220 m	319.70		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IIND	111.75 MHz	18 nm	-	-	1,010 ft
				33 km	-		1,010 m
05R	DME	IOQV	111.15 MHz	18 nm	-	-	797 ft
				33 km	-		797 m
23L	DME	IFVJ	111.15 MHz	18 nm	-	-	797 ft
				33 km	-		797 m
23R	DME	IUZK	111.75 MHz	18 nm	-	-	1,010 ft
				33 km	-		1,010 m
05L	LOC-ILS	IIND	111.75 MHz	18 nm	44.45	-	797 ft
				33 km	49.48		797 m
05R	LOC-ILS	IOQV	111.15 MHz	18 nm	44.46	-	797 ft
				33 km	49.49		797 m
14	LOC-ILS	IBJP	110.50 MHz	18 nm	134.67	-	797 ft
				33 km	139.70		797 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23L	LOC-ILS	IFVJ	111.15 MHz	18 nm	224.43	-	797 ft
				33 km	229.46		797 m
23R	LOC-ILS	IUZK	111.75 MHz	18 nm	224.42	-	797 ft
				33 km	229.45		797 m
32	LOC-ILS	ICOA	110.50 MHz	18 nm	314.66	-	797 ft
				33 km	319.69		797 m
05L	GS	IIND	111.75 MHz	10 nm	44.86	3.00	741 ft
				19 km	49.89		741 m
05R	GS	IOQV	111.15 MHz	10 nm	44.88	3.00	790 ft
				19 km	49.91		790 m
14	GS	IBJP	110.50 MHz	10 nm	135.34	3.00	797 ft
				19 km	140.37		797 m
23L	GS	IFVJ	111.15 MHz	10 nm	224.88	3.00	788 ft
				19 km	229.91		788 m
23R	GS	IUZK	111.75 MHz	10 nm	224.86	3.00	777 ft
				19 km	229.89		777 m
32	GS	ICOA	110.50 MHz	10 nm	315.34	3.00	797 ft
				19 km	320.37		797 m