

LIPH

Treviso-Sant'Angelo "Antonio Canova"


LIPZ

Venezia-Tessera "Marco Polo"

2024/06/07 0422Z

LIPH LIPZ

10.83 nm / 20.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIPH	-	45.64850	0 ft	-	Treviso-Sant'Angelo	"Antonio Canova"
APT	-	12.19400	0 m			
LIPZ	-	45.50480	0 ft	10	Venezia-Tessera	"Marco Polo"
APT	-	12.34970	0 m			

LIPH

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 59 ft / 18 m
Location: 45.648500 12.194000
Magnetic Var: 3.889 E

METAR

LIPH 070350Z AUTO 03003KT 9999 NCD 19/18 Q1016

TAF

TAF LIPH 062300Z 0700/0724 VRB05KT 9999 FEW040 TEMPO 0701/0706 4000 BR BECMG 0712/0714 16010KT BECMG 0716/0718 VRB

Frequencies

TWR - 122.10 MHz - TREVISO TOWER
APP - 121.15 MHz - TREVISO APPROACH
APP - 122.10 MHz - TREVISO APPROACH

TWR - 118.70 MHz - TREVISO TOWER
APP - 120.40 MHz - TREVISO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,032 ft	69.21	ASPHALT	351 ft	886 ft
	45 m	2,448 m	65.32		107 m	270 m
25	148 ft	8,032 ft	249.23	ASPHALT	374 ft	0 ft
	45 m	2,448 m	245.34		114 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	TRE	109.30 MHz	18 nm	69.20	-	51 ft
				33 km	65.31		51 m
07	GS	TRE	109.30 MHz	10 nm	69.39	3.00	56 ft
				19 km	65.50		56 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.914 E

METAR

LIPZ 070350Z VRB02KT 7000 NSC 20/19 Q1016 NOSIG

TAF

TAF LIPZ 062300Z 0700/0806 VRB05KT 9999 FEW040 TEMPO 0701/0706 3000 BCFG BECMG 0710/0712 16010KT BECMG 0718/0720 V

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.11		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m