


2024/05/19 0851Z

OMDB RIKOP ASB URG TINRI LUGIK TARSA NOR GIKSI LURET KUMOG FRENK OTZ J502 YZT J523 TOU OED HANDY
RBL EHF LAX KLAX

7793.74 nm / 14434.00 km



Notes

Requested: OMDB DAVMO Y601 M317 RADEB M318 RIKOP B114 ASB B359 MAXAT A370 URG A299 TINRI G359 LUGIK A925 HMN R124 T

Unmatched points: DAVMO Y601 M317 RADEB M318 B114 B359 MAXAT A370 A299 G359 A925 HMN R124 R717 HTG B954 G7 R351 G90

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
RIKOP	-	37.67389	0 ft	760	-
FIX	-	58.24722	0 m		
ASB	-	37.98500	0 ft	19	ASHGABAT VOR-DME
VOR	-	58.35167	0 m		
URG	-	41.58333	0 ft	240	URGENCH VOR-DME
VOR	-	60.65000	0 m		
TINRI	-	57.16861	0 ft	953	-
FIX	-	65.31528	0 m		
LUGIK	-	59.71694	0 ft	154	-
FIX	-	65.93194	0 m		
TARSA	-	64.91722	0 ft	453	-
FIX	-	77.78194	0 m		
NOR	-	69.30417	0 ft	344	NORILSK Alykel VOR-DME
VOR	-	87.30250	0 m		
GIKSI	-	71.69583	0 ft	828	-
FIX	-	128.90194	0 m		
LURET	-	70.62556	0 ft	372	-
FIX	-	147.89944	0 m		
KUMOG	-	66.55750	0 ft	877	-
FIX	-	-172.84083	0 m		
FRENK	-	66.62000	0 ft	138	-
FIX	-	-167.02667	0 m		
OTZ	-	66.88569	0 ft	107	KOTZEBUE VOR-DME
VOR	-	-162.53994	0 m		
URCEL	J502	66.32680	0 ft	129	-
FIX	AWY-HI	-157.29141	0 m		
FAI	J502	64.80008	0 ft	247	FAIRBANKS VORTAC
VOR	AWY-HI	-148.01197	0 m		
ORT	J502	62.94717	0 ft	195	NORTHWAY VORTAC
VOR	AWY-HI	-141.91275	0 m		
AYZOL	J502	62.47115	0 ft	38	-
FIX	AWY-HI	-141.00000	0 m		
DB	J502	61.34028	0 ft	88	BURWASH NDB
NDB	AWY-HI	-138.98333	0 m		
SSR77	J502	59.29251	0 ft	143	-
FIX	AWY-HI	-136.47287	0 m		
SSR	J502	58.17766	0 ft	76	SISTERS ISLAND VORTAC
DME	AWY-HI	-135.25886	0 m		
HOODS	J502	57.74293	0 ft	31	-
FIX	AWY-HI	-134.68157	0 m		
LVD	J502	56.46771	0 ft	92	LEVEL ISLAND VOR-DME
DME	AWY-HI	-133.08311	0 m		
DOOZI	J502	55.63254	0 ft	58	-
FIX	AWY-HI	-132.17465	0 m		
GESTI	J502	55.43263	0 ft	13	-
FIX	AWY-HI	-131.96400	0 m		
ANN	J502	55.06042	0 ft	25	ANNETTE ISLAND VOR-DME
VOR	AWY-HI	-131.57839	0 m		
HANRY	J502	54.60639	0 ft	32	-
FIX	AWY-HI	-131.09333	0 m		
DUGGS	J502	53.03480	0 ft	109	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-129.50333	0 m		
PRYCE	J502	52.23825	0 ft	55	-
FIX	AWY-HI	-128.74972	0 m		
YZT	J502	50.68425	0 ft	106	PORT HARDY VOR-DME
VOR	AWY-HI	-127.36519	0 m		
INHAM	J523	49.05217	0 ft	122	-
FIX	AWY-HI	-125.45508	0 m		
TOU15	J523	48.50194	0 ft	40	-
FIX	AWY-HI	-124.84815	0 m		
TOU	J523	48.29989	0 ft	14	TATOOSH VORTAC
VOR	AWY-HI	-124.62706	0 m		
OED	-	42.47958	0 ft	356	ROGUE VALLEY VORTAC
VOR	-	-122.91294	0 m		
HANDY	-	42.23525	0 ft	15	-
FIX	-	-122.84113	0 m		
RBL	-	40.09892	0 ft	131	RED BLUFF VORTAC
VOR	-	-122.23636	0 m		
EHF	-	35.48456	0 ft	314	SHAFTER VORTAC
VOR	-	-119.09731	0 m		
LAX	-	33.93314	0 ft	98	LOS ANGELES VORTAC
VOR	-	-118.43200	0 m		
KLAX	-	33.94313	0 ft	1	Los Angeles Intl
APT	-	-118.40892	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 190800Z 28011KT 240V300 CAVOK 35/22 Q1005 NOSIG

TAF

TAF OMDB 190500Z 1906/2012 27012KT CAVOK BECMG 1917/1919 20007KT BECMG 2006/2008 27012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.439 E

METAR

KLAX 190753Z 24008KT 10SM OVC016 15/11 A3003 RMK A02 SLP168 T01500111 401890139 \$

TAF

KLAX 190540Z 1906/2012 27008KT P6SM OVC015 FM191500 25006KT P6SM OVC025 FM192100 26012KT P6SM SCT025 BKN035 FM2000

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m