

# SLOR

JUAN MENDOZA

# SLCB

Jorge Wilsterman

2024/05/25 0406Z

SLOR CBA SLCB

60.64 nm / 112.31 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLOR	-	-17.95560	0 ft	-	JUAN MENDOZA
APT	-	-67.07590	0 m		
CBA	-	-17.42130	0 ft	60	COCHABAMBA
VOR	-	-66.17890	0 m		
SLCB	-	-17.42040	0 ft	0	Jorge Wilsterman
APT	-	-66.17720	0 m		

## SLCB

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 2

Elevation: 8,359 ft / 2,548 m  
Location: -17.420400 -66.177200  
Magnetic Var: 10.671 W

## METAR

SLCB 250300Z 12003KT 9999 NSC 16/04 Q1024

## TAF

TAF TAF SLCB 242200Z 2500/2524 12010KT 9999 FEW033 TX28/2519Z TN05/2510Z BECMG 2503/2505 00000KT BECMG 2519/2521

## Frequencies

TWR - 123.50 MHz -  
GND - 121.90 MHz -

REC - 129.00 MHz - RDO  
APP - 119.30 MHz - COCHABAMBA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	12,485 ft	132.10	ASPHALT	335 ft	200 ft
	45 m	3,805 m	142.77		102 m	61 m
32	148 ft	12,485 ft	312.10	ASPHALT	984 ft	200 ft
	45 m	3,805 m	322.77		300 m	61 m
04	148 ft	8,718 ft	37.26	ASPHALT	0 ft	0 ft
	45 m	2,657 m	47.93		0 m	0 m
22	148 ft	8,718 ft	217.26	ASPHALT	732 ft	0 ft
	45 m	2,657 m	227.93		223 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	ILCO	110.50 MHz	18 nm	-	-	8,360 ft
				33 km	-		8,360 m
32	LOC-ILS	ILCO	110.50 MHz	18 nm	311.99	-	8,360 ft
				33 km	322.66		8,360 m
32	GS	ILCO	110.50 MHz	10 nm	312.20	3.30	8,360 ft
				19 km	322.87		8,360 m