

# VTBS

Bangkok Suvarnabhumi Intl


# VQPR

Paro International Airport

2024/06/03 0501Z

VTBS OSUKA **L507** BGO **G463** DAC **W3** SDP VQPR

1098.52 nm / 2034.45 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBS	-	13.68080	0 ft	-	Bangkok Suvarnabhumi Intl
APT	-	100.74800	0 m		
OSUKA	-	14.71330	30,800 ft	86	-
FIX	-	99.71670	9,388 m		
LIMLA	L507	15.76810	35,000 ft	90	-
FIX	AWY-HI	98.59690	10,668 m		
ARATO	L507	16.36800	35,000 ft	58	-
FIX	AWY-HI	97.79630	10,668 m		
BGO	L507	17.31850	35,000 ft	92	BAGO
VOR	AWY-HI	96.51990	10,668 m		
NIVOG	G463	18.45120	35,000 ft	91	-
FIX	AWY-HI	95.44660	10,668 m		
DORLI	G463	19.25750	35,000 ft	64	-
FIX	AWY-HI	94.70420	10,668 m		
27BGO	G463	21.37120	35,000 ft	172	-
FIX	AWY-HI	92.64040	10,668 m		
AVLED	G463	21.66750	35,000 ft	24	-
FIX	AWY-HI	92.34690	10,668 m		
TANAP	G463	21.94080	35,000 ft	21	-
FIX	AWY-HI	92.11030	10,668 m		
CTG	G463	22.25770	35,000 ft	24	CHATTOGRAM
VOR	AWY-HI	91.82750	10,668 m		
ONEKA	G463	22.58000	35,000 ft	25	-
FIX	AWY-HI	91.53720	10,668 m		
DAC75	G463	22.86150	35,000 ft	21	-
FIX	AWY-HI	91.28720	10,668 m		
ADMIL	G463	23.18080	35,000 ft	25	-
FIX	AWY-HI	90.99060	10,668 m		
KANDI	G463	23.50360	35,000 ft	25	-
FIX	AWY-HI	90.70140	10,668 m		
DAC	G463	23.82430	35,000 ft	24	DHAKA
VOR	AWY-HI	90.41290	10,668 m		
MEXIV	W3	24.04500	35,000 ft	23	-
FIX	AWY-HI	90.05140	10,668 m		
TEGAK	W3	24.17830	35,000 ft	14	-
FIX	AWY-HI	89.83470	10,668 m		
BELKU	W3	24.33330	35,000 ft	15	-
FIX	AWY-HI	89.61670	10,668 m		
SDP	W3	25.76440	21,900 ft	94	SAIDPUR
VOR	AWY-HI	88.90940	6,675 m		
VQPR	-	27.40330	0 ft	102	Paro International Airport
APT	-	89.42470	0 m		

## VTBS

Region: THAILAND  
Timezone: ASIA/BANGKOK  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 13.680800 100.748000  
Magnetic Var: 0.534 W

## METAR

VTBS 030430Z 21007KT 140V250 9999 FEW020 SCT035 33/23 Q1010 NOSIG

## TAF

UNKNOWN

## Frequencies

REC - 133.60 MHz - ATIS	TWR - 119.00 MHz - SUVARNABHUMI TOWER
TWR - 118.20 MHz - SUVARNABHUMI TOWER	GND - 121.95 MHz - SUVARNABHUMI GROUND
GND - 121.65 MHz - SUVARNABHUMI GROUND	GND - 121.75 MHz - SUVARNABHUMI GROUND
CLD - 135.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 128.70 MHz - BANGKOK CLEARANCE DELIVERY
CLD - 120.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 125.80 MHz - DON MUEANG CLEARANCE DELIVERY
CLD - 133.80 MHz - BANGKOK CLEARANCE DELIVERY	APP - 124.35 MHz - BANGKOK ARRIVAL
APP - 125.20 MHz - BANGKOK ARRIVAL	APP - 122.35 MHz - BANGKOK ARRIVAL
APP - 120.30 MHz - BANGKOK APPROACH	APP - 119.10 MHz - BANGKOK APPROACH
APP - 121.70 MHz - BANGKOK ARRIVAL	APP - 126.30 MHz - SUVARNABHUMI ARRIVAL
APP - 133.60 MHz - SUVARNABHUMI ARRIVAL	APP - 121.10 MHz - SUVARNABHUMI ARRIVAL
APP - 133.40 MHz - SUVARNABHUMI ARRIVAL	DEP - 119.25 MHz - SUVARNABHUMI DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	197 ft	13,189 ft	14.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	14.86		0 m	120 m
19L	197 ft	13,189 ft	194.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	194.86		0 m	120 m
01L	197 ft	12,201 ft	14.32	ASPHALT	0 ft	394 ft
	60 m	3,719 m	14.86		0 m	120 m
19R	197 ft	12,201 ft	194.32	ASPHALT	0 ft	397 ft
	60 m	3,719 m	194.86		0 m	121 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ISWS	109.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01R	DME	ISES	110.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19L	DME	ISEN	110.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19R	DME	ISWN	109.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01L	LOC-ILS	ISWS	109.10 MHz	18 nm	14.32	-	4 ft
				33 km	14.85		4 m
01R	LOC-ILS	ISES	110.10 MHz	18 nm	14.33	-	4 ft
				33 km	14.86		4 m
19L	LOC-ILS	ISEN	110.50 MHz	18 nm	194.33	-	4 ft
				33 km	194.86		4 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	LOC-ILS	ISWN	109.50 MHz	18 nm	194.32	-	4 ft
				33 km	194.85		4 m
01L	GS	ISWS	109.10 MHz	10 nm	14.32	3.00	4 ft
				19 km	14.85		4 m
01R	GS	ISES	110.10 MHz	10 nm	14.33	3.00	4 ft
				19 km	14.86		4 m
19L	GS	ISEN	110.50 MHz	10 nm	194.33	3.00	4 ft
				19 km	194.86		4 m
19R	GS	ISWN	109.50 MHz	10 nm	194.32	3.00	4 ft
				19 km	194.85		4 m