

# HAAB

Bole Intl-Addis Ababa


# HAGM

Gambela

2024/06/07 0341Z

HAAB GUDER UT139 ANVEX HAGM

256.91 nm / 475.79 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HAAB APT	-	8.97793 38.79930	0 ft 0 m	-	Bole Intl-Addis Ababa
GUDER FIX	-	8.72586 37.13010	33,500 ft 10,211 m	100	-
ANVEX FIX	UT139 AWY-HI	8.31000 35.45830	11,600 ft 3,536 m	102	-
HAGM APT	-	8.12876 34.56310	0 ft 0 m	54	Gambela

## HAAB

Region: ETHIOPIA  
Timezone: AFRICA/ADDIS\_ABABA  
Runways: 2

Elevation: 7,625 ft / 2,324 m  
Location: 8.977930 38.799300  
Magnetic Var: 2.573 E

## METAR

HAAB 070300Z 03003KT 9999 SCT025 14/12 Q1027

## TAF

TAF HAAB 061530Z 0618/0724 24006KT 9999 SCT028 FEW090 BECMG 0618/0622 09005KT BKN028

## Frequencies

REC - 128.50 MHz - BOLE ATIS  
TWR - 118.10 MHz - BOLE TOWER

GND - 121.90 MHz - BOLE GROUND  
APP - 119.70 MHz - BOLE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,456 ft	73.56	ASPHALT	1,175 ft	0 ft
	45 m	3,797 m	70.99		358 m	0 m
25L	148 ft	12,456 ft	253.56	ASPHALT	1,175 ft	0 ft
	45 m	3,797 m	250.99		358 m	0 m
07L	148 ft	12,134 ft	73.56	ASPHALT	817 ft	0 ft
	45 m	3,698 m	70.99		249 m	0 m
25R	148 ft	12,134 ft	253.57	ASPHALT	1,243 ft	0 ft
	45 m	3,698 m	251.00		379 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ADS	112.90 MHz	18 nm	253.56	-	7,625 ft
				33 km	250.99		7,625 m