


2024/05/07 2119Z

EGHH INGOR **U2297** PESUK LISEU **A34** KOVAK **H20** DOMOD **A3** MOU **UL178** LESPI **A3** AMIKO OTROT **UM728** BEPER
LFMN

594.25 nm / 1100.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGHH APT	-	50.78010 -1.84248	0 ft 0 m	-	Bournemouth
INGOR FIX	-	49.36440 -0.25000	35,000 ft 10,668 m	104	-
PESUK FIX	UZ297 AWY-HI	49.21080 0.29083	35,000 ft 10,668 m	23	-
LISEU FIX	-	49.10330 0.40194	35,000 ft 10,668 m	7	-
LGL VOR	A34 AWY-LO	48.79060 0.53028	35,000 ft 10,668 m	19	L'AIGLE
BOBSA FIX	A34 AWY-LO	48.49580 0.64833	35,000 ft 10,668 m	18	-
BENAR FIX	A34 AWY-LO	48.25310 0.74444	35,000 ft 10,668 m	15	-
KOVAK FIX	A34 AWY-LO	47.99310 0.84667	35,000 ft 10,668 m	16	-
DOMOD FIX	H20 AWY-LO	47.86280 1.28583	35,000 ft 10,668 m	19	-
GILUX FIX	A3 AWY-LO	47.72420 1.74306	35,000 ft 10,668 m	20	-
MOTAL FIX	A3 AWY-LO	47.57670 2.22000	35,000 ft 10,668 m	21	-
SANCE FIX	A3 AWY-LO	47.26670 2.74167	35,000 ft 10,668 m	28	-
KOTIS FIX	A3 AWY-LO	47.23000 2.80250	35,000 ft 10,668 m	3	-
NEV VOR	A3 AWY-LO	47.15300 2.92936	35,000 ft 10,668 m	6	NEVERS
LAMUT FIX	A3 AWY-LO	47.11830 2.98472	35,000 ft 10,668 m	3	-
ATRID FIX	A3 AWY-LO	46.84860 3.40861	35,000 ft 10,668 m	23	-
MOU VOR	A3 AWY-LO	46.70680 3.63167	35,000 ft 10,668 m	12	MOULINS
OMANI FIX	UL178 AWY-HI	46.45720 3.76806	35,000 ft 10,668 m	16	-
LESPI FIX	UL178 AWY-HI	46.11350 3.95778	35,000 ft 10,668 m	22	-
BELVU FIX	A3 AWY-LO	45.95250 4.04500	35,000 ft 10,668 m	10	-
ONZON FIX	A3 AWY-LO	45.83500 4.10833	35,000 ft 10,668 m	7	-
BELEP FIX	A3 AWY-LO	45.79170 4.13167	35,000 ft 10,668 m	2	-
MURRO FIX	A3 AWY-LO	45.33290 4.37556	34,800 ft 10,607 m	29	-
AMIKO FIX	A3 AWY-LO	45.12810 4.48306	32,000 ft 9,754 m	13	-
OTROT FIX	-	45.11360 4.44556	31,600 ft 9,632 m	1	-
BEPER FIX	UM728 AWY-HI	44.63810 5.21500	22,300 ft 6,797 m	43	-
LFMN APT	-	43.65840 7.21576	0 ft 0 m	104	Nice-Cote d'Azur

EGHH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 38 ft / 12 m
Location: 50.780100 -1.842480
Magnetic Var: 0.029 W

METAR

EGHH 072050Z 00000KT CAVOK 13/11 Q1026

TAF

UNKNOWN

Frequencies

APP - 119.47 MHz - BOURNMOUTH APPROACH
GND - 121.70 MHz - BOURNMOUTH GROUND

TWR - 125.60 MHz - BOURNMOUTH TOWER
REC - 133.72 MHz - BOURNMOUTH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	7,443 ft	75.26	ASPHALT	1,411 ft	0 ft
	46 m	2,269 m	75.29		430 m	0 m
26	150 ft	7,443 ft	255.28	ASPHALT	0 ft	167 ft
	46 m	2,269 m	255.31		0 m	51 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IBMH	110.50 MHz	20 nm	-	-	31 ft
				37 km	-		31 m
26	DME	IBH	110.50 MHz	20 nm	-	-	31 ft
				37 km	-		31 m
08	LOC-ILS	IBMH	110.50 MHz	18 nm	75.27	-	38 ft
				33 km	75.30		38 m
26	LOC-ILS	IBH	110.50 MHz	18 nm	255.27	-	38 ft
				33 km	255.30		38 m
08	GS	IBMH	110.50 MHz	10 nm	75.27	3.00	38 ft
				19 km	75.30		38 m
26	GS	IBH	110.50 MHz	10 nm	255.27	3.00	38 ft
				19 km	255.30		38 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.736 E

METAR

LFMN 072100Z 09019KT 9999 FEW080 17/13 Q1013 NOSIG

TAF

TAF LFMN 072000Z 0721/0903 08020KT 9999 FEW066 BECMG 0721/0723 08010KT TEMPO 0723/0802 35008KT BECMG 0802/0804 35

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m