


2024/05/29 0203Z

KIYK SIBOC KMOD

191.46 nm / 354.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KIYK	-	35.65960	0 ft	-	INYOKERN	
APT	-	-117.82900	0 m			
SIBOC	-	36.73150	19,500 ft	100	-	
FIX	-	-119.41300	5,944 m			
KMOD	-	37.62600	0 ft	91	Modesto City-Co-Harry Sham Field	
APT	-	-120.95500	0 m			

KMOD

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 97 ft / 30 m
Location: 37.626000 -120.955000
Magnetic Var: 12.609 E

METAR

KMOD 290053Z 31019G26KT 10SM CLR 28/06 A2995 RMK A02 PK WND 32027/0041 SLP141 T02830061

TAF

TAF KMOD 282336Z 2900/2924 31011G18KT P6SM SKC FM290400 34008KT P6SM SKC FM291800 32016G22KT P6SM SKC

Frequencies

REC - 127.70 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 125.30 MHz -
APP - 123.85 MHz - NORCAL APP/DEP
COM - 125.30 MHz - CTAF
GND - 121.70 MHz -
APP - 120.95 MHz - NORCAL APP/DEP
APP - 125.10 MHz - NORCAL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	151 ft	5,899 ft	124.23	ASPHALT	0 ft	200 ft
	46 m	1,798 m	111.62		0 m	61 m
28R	151 ft	5,899 ft	304.24	ASPHALT	0 ft	98 ft
	46 m	1,798 m	291.63		0 m	30 m
10R	98 ft	3,462 ft	124.20	ASPHALT	0 ft	531 ft
	30 m	1,055 m	111.59		0 m	162 m
28L	98 ft	3,462 ft	304.20	ASPHALT	0 ft	0 ft
	30 m	1,055 m	291.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28R	LOC-ILS	IMOD	111.90 MHz	18 nm	304.22	-	95 ft
				33 km	291.61		95 m
28R	GS	IMOD	111.90 MHz	10 nm	304.46	3.00	82 ft
				19 km	291.86		82 m