


2024/05/20 0744Z

EGSS CLN **M84** KONAN FERDI LIRSU EDISA UTABA BEMKI ELMEM DIRAB VESAL UPIRO PEVAL PUL EBITA SPL
LASDU KOFER UNDER PINDO KUMBI **L612** BLT **A16** CVO **L677** MENLI **N697** SISIK **V603** DASOT SHM HESH

2148.49 nm / 3979.00 km



Notes

Requested: EGSS CLN M84 KONAN UL607 FERDI LIRSU EDISA UTABA BEMKI ELMEM DIRAB VESAL UPIRO PEVAL PUL EBITA SPL LASDU

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS	-	51.88510	0 ft	-	Stansted
APT	-	0.23499	0 m		
CLN	-	51.84850	0 ft	33	CLACTON
VOR	-	1.14759	0 m		
EVMEK	M84	51.79470	0 ft	3	-
FIX	AWY-LO	1.20500	0 m		
NONVA	M84	51.64620	0 ft	10	-
FIX	AWY-LO	1.36231	0 m		
ABTUM	M84	51.43430	0 ft	12	-
FIX	AWY-LO	1.37472	0 m		
KONAN	M84	51.13080	0 ft	29	-
FIX	AWY-LO	2.00000	0 m		
FERDI	-	50.91260	0 ft	63	-
FIX	-	3.63697	0 m		
LIRSU	-	50.18670	0 ft	115	-
FIX	-	6.45333	0 m		
EDISA	-	48.98890	0 ft	101	-
FIX	-	8.31083	0 m		
UTABA	-	48.25500	0 ft	63	-
FIX	-	9.46167	0 m		
BEMKI	-	47.55940	0 ft	53	-
FIX	-	10.30560	0 m		
ELMEM	-	47.28560	0 ft	19	-
FIX	-	10.57070	0 m		
DIRAB	-	46.81370	0 ft	34	-
FIX	-	11.06230	0 m		
VESAL	-	46.39000	0 ft	37	-
FIX	-	11.71640	0 m		
UPIRO	-	45.62580	0 ft	62	-
FIX	-	12.74250	0 m		
PEVAL	-	45.31140	0 ft	28	-
FIX	-	13.24750	0 m		
PUL	-	44.89240	0 ft	37	PULA
VOR	-	13.91810	0 m		
EBITA	-	44.38500	0 ft	47	-
FIX	-	14.76920	0 m		
SPL	-	43.49660	0 ft	85	SPLIT
VOR	-	16.30470	0 m		
LASDU	-	42.78360	0 ft	56	-
FIX	-	17.14830	0 m		
KOFER	-	41.92720	0 ft	84	-
FIX	-	18.66360	0 m		
UNDER	-	41.06810	0 ft	77	-
FIX	-	19.94750	0 m		
PINDO	-	40.48080	0 ft	57	-
FIX	-	20.95580	0 m		
KUMBI	-	33.71390	0 ft	551	-
FIX	-	28.75000	0 m		
LABNA	L612	32.33220	0 ft	112	-
FIX	AWY-HI	30.27000	0 m		
BLT	L612	31.52890	0 ft	64	BALTIM
VOR	AWY-HI	31.12250	0 m		
DEGDI	A16	31.24140	0 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	31.17640	0 m		
CVO	A16	30.09230	0 ft	69	CAIRO
VOR	AWY-HI	31.38840	0 m		
MENLI	L677	29.78330	0 ft	31	-
FIX	AWY-HI	31.86830	0 m		
SISIK	N697	29.60000	0 ft	44	-
FIX	AWY-HI	32.68500	0 m		
DASOT	V603	28.68440	0 ft	90	-
FIX	AWY-HI	34.06000	0 m		
SHM	-	27.99810	0 ft	45	SHARM EL SHEIKH VOR-DME
DME	-	34.41330	0 m		
HESH	-	27.97730	0 ft	1	Sharm El-Sheikh Intl
APT	-	34.39490	0 m		

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.582 E

METAR

EGSS 200720Z AUTO 34008KT 9999 BKN007 10/08 Q1015

TAF

TAF EGSS 200455Z 2006/2112 03009KT 6000 BKN006 BECMG 2006/2009 9999 FEW030 TEMPO 2006/2007 3000 BR BKN004 PROB40 T

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.20		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

HESH

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 2

Elevation: 143 ft / 44 m
Location: 27.977300 34.394900
Magnetic Var: 4.786 E

METAR

HESH 200700Z 36014KT 4000 SA NSC 33/12 Q1009 TEMPO 3000

TAF

TAF HESH 200500Z 2006/2112 36010G20KT 6000 NSC TEMPO 2006/2012 3000 SA

Frequencies

REC - 134.00 MHz - ATIS
TWR - 118.90 MHz -
APP - 122.60 MHz - RADAR
GND - 121.90 MHz -
APP - 121.10 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	10,116 ft	42.65	ASPHALT	0 ft	207 ft
	45 m	3,083 m	37.86		0 m	63 m
22R	148 ft	10,116 ft	222.66	ASPHALT	0 ft	200 ft
	45 m	3,083 m	217.87		0 m	61 m
04R	148 ft	10,121 ft	42.65	ASPHALT	0 ft	200 ft
	45 m	3,085 m	37.87		0 m	61 m
22L	148 ft	10,121 ft	222.66	ASPHALT	0 ft	200 ft
	45 m	3,085 m	217.88		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	KIL	109.50 MHz	18 nm	-	-	160 ft
				33 km	-		160 m
04L	LOC-ILS	KIL	109.50 MHz	18 nm	42.67	-	130 ft
				33 km	37.89		130 m
04L	GS	KIL	109.50 MHz	10 nm	43.31	3.00	160 ft
				19 km	38.52		160 m