

# SKFL

GUSTAVO ARTUNDUAGA PAREDES


# SKCL

Alfonso Bonilla Aragon Intl

2024/05/03 0229Z

SKFL ESARO SKCL

127.23 nm / 235.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKFL APT	-	1.58922 -75.56430	0 ft 0 m	-	GUSTAVO ARTUNDUAGA PAREDES
ESARO FIX	-	2.86500 -76.12810	9,300 ft 2,835 m	83	-
SKCL APT	-	3.54318 -76.38170	0 ft 0 m	43	Alfonso Bonilla Aragon Intl

## SKCL

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 3,162 ft / 964 m  
Location: 3.543180 -76.381700  
Magnetic Var: 6.549 W

## METAR

SKCL 030200Z 19006KT 9999 VCSH FEW030 BKN080 23/21 Q1014 NOSIG RMK VCSH/S

## TAF

TAF SKCL 022230Z 0300/0324 04006KT 9999 SCT020 BKN100 TEMPO 0305/0309 DZ PROB40 0311/0315 4000 BR BKN010 TEMPO 031

## Frequencies

GND - 121.90 MHz - CALI GROUND  
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.38		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.38		0 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.46		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.46		3,162 m