


2024/05/20 2119Z

KWYS TUVOC **V328** OCS **V187** TESSY KTEX

439.33 nm / 813.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KWYS APT	-	44.68840 -111.11764	0 ft 0 m	-	Yellowstone
TUVOC FIX	-	43.25268 -110.50888	32,100 ft 9,784 m	90	-
IDECA FIX	V328 AWY-LO	42.85863 -110.27382	35,000 ft 10,668 m	25	-
BPI VOR	V328 AWY-LO	42.57944 -110.10922	35,000 ft 10,668 m	18	BIG PINEY VOR-DME
SEYTO FIX	V328 AWY-LO	42.38725 -109.89306	35,000 ft 10,668 m	14	-
OCS VOR	V328 AWY-LO	41.59022 -109.01533	35,000 ft 10,668 m	61	ROCK SPRINGS VOR-DME
RENAE FIX	V187 AWY-LO	40.42057 -108.91028	33,800 ft 10,302 m	70	-
RACER FIX	V187 AWY-LO	40.10811 -108.88289	29,700 ft 9,053 m	18	-
TESSY FIX	V187 AWY-LO	39.49620 -108.82982	21,800 ft 6,645 m	36	-
KTEX APT	-	37.95381 -107.90874	0 ft 0 m	102	Telluride Rgnl

KWYS

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 6,644 ft / 2,025 m
Location: 44.688400 -111.118000
Magnetic Var: 10.984 E

METAR

KWYS 202055Z AUTO 26010KT 210V320 10SM FEW032 FEW048 SCT055 06/M03 A2994 RMK A02

TAF

TAF AMD KWYS 201921Z 2019/2118 20011G17KT P6SM SCT040 BKN060 TEMPO 2019/2023 1SM -SHSNRA SCT006 BKN020 FM202300 V

Frequencies

COM - 123.00 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	8,407 ft	26.20	ASPHALT	0 ft	118 ft
	46 m	2,562 m	15.21		0 m	36 m
19	151 ft	8,407 ft	206.21	ASPHALT	0 ft	102 ft
	46 m	2,562 m	195.22		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ILOW	110.70 MHz	18 nm	26.21	-	6,644 ft
				33 km	15.23		6,644 m
01	GS	ILOW	110.70 MHz	10 nm	26.21	3.00	6,644 ft
				19 km	15.23		6,644 m

KTEX

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 1

Elevation: 9,078 ft / 2,767 m

Location: 37.953800 -107.909000

Magnetic Var: 8.766 E

METAR

KTEX 202055Z AUTO 21020G33KT 180V240 7SM SCT120 16/M23 A3002 RMK A02

TAF

KTEX 201740Z 2018/2118 22014G27KT P6SM SCT120 FM202000 22018G35KT P6SM SCT100 SCT250 FM210500 20010G22KT 6SM -SHF

Frequencies

REC - 118.32 MHz - AWOS

COM - 123.00 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	7,116 ft	104.97	ASPHALT	213 ft	397 ft
	30 m	2,169 m	96.21		65 m	121 m
27	98 ft	7,116 ft	284.99	ASPHALT	210 ft	397 ft
	30 m	2,169 m	276.22		64 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ITEX	109.30 MHz	18 nm	-	-	9,078 ft
				33 km	-		9,078 m