


2024/05/06 1737Z

LRS DEDIS **A42** SLC LOWW

271.60 nm / 503.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LRSM	-	47.70340	0 ft	-	Satu Mare
APT	-	22.88560	0 m		
DEDIS	-	48.63060	35,000 ft	102	-
FIX	-	20.72560	10,668 m		
TAKOS	A42	48.58250	32,100 ft	18	-
FIX	AWY-LO	20.26670	9,784 m		
TAGOD	A42	48.51080	26,500 ft	26	-
FIX	AWY-LO	19.61580	8,077 m		
KULIN	A42	48.49220	25,100 ft	6	-
FIX	AWY-LO	19.45140	7,650 m		
SLC	A42	48.45330	22,200 ft	13	SLIAC
VOR	AWY-LO	19.11590	6,767 m		
LOWW	-	48.11010	0 ft	103	Vienna
APT	-	16.56960	0 m		

LRSM

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 1

Elevation: 413 ft / 126 m
Location: 47.703400 22.885600
Magnetic Var: 6.261 E

METAR

LRSM 061700Z AUTO 23008KT 9999 NCD 23/11 Q1009

TAF

UNKNOWN

Frequencies

TWR - 118.80 MHz - SATU MARE TOWER

APP - 118.80 MHz - SATU MARE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	8,203 ft	13.03	ASPHALT	0 ft	0 ft
	45 m	2,500 m	6.77		0 m	0 m
19	148 ft	8,203 ft	193.03	ASPHALT	0 ft	0 ft
	45 m	2,500 m	186.77		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	ISM	110.95 MHz	18 nm	193.03	-	413 ft
				33 km	186.77		413 m
19	GS	ISM	110.95 MHz	10 nm	193.03	3.00	413 ft
				19 km	186.77		413 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.012 E

METAR

LOWW 061650Z 18010KT 150V210 5000 1700S +TSRA FEW050 FEW050CB 19/15 Q1006 RETSRA BECMG VRB05KT NSW

TAF

TAF LOWW 061415Z 0615/0721 16012KT 9999 FEW050 TX23/0615Z TN13/0721Z TEMPO 0615/0622 SHRA FEW040CB BKN050 BECMG 0

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.22		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.23		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.01		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.03		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.97		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m