


2024/06/05 0745Z

KHUT RANSO **V132** GLD **V4** TXC KAPA

345.21 nm / 639.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KHUT APT	-	38.06530 -97.86070	0 ft 0 m	-	Hutchinson Muni
RANSO FIX	-	38.74010 -99.88320	35,000 ft 10,668 m	103	-
ORION FIX	V132 AWY-LO	39.04820 -100.73000	35,000 ft 10,668 m	43	-
GLD VOR	V132 AWY-LO	39.38790 -101.69200	31,900 ft 9,723 m	49	GOODLAND
EHVER FIX	V4 AWY-LO	39.48720 -102.16800	27,000 ft 8,230 m	22	-
FLAGG FIX	V4 AWY-LO	39.53960 -102.42200	24,300 ft 7,407 m	12	-
TXC VOR	V4 AWY-LO	39.69830 -103.21500	16,200 ft 4,938 m	37	THURMAN
KAPA APT	-	39.57010 -104.84800	0 ft 0 m	75	Centennial

KHUT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,543 ft / 470 m
Location: 38.065300 -97.860700
Magnetic Var: 3.277 E

METAR

KHUT 050652Z AUTO 02008KT 10SM CLR 17/16 A2977 RMK A02 SLP061 T01720161

TAF

KHUT 050536Z 0506/0606 01006KT P6SM SKC FM051900 23005KT P6SM SKC FM060100 19005KT P6SM SKC

Frequencies

REC - 124.25 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz -
COM - 118.50 MHz - CTAF
GND - 121.90 MHz -
APP - 125.50 MHz - WICHITA APP DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	98 ft	7,006 ft	138.39	ASPHALT	0 ft	0 ft
	30 m	2,135 m	135.11		0 m	0 m
31	98 ft	7,006 ft	318.40	ASPHALT	0 ft	0 ft
	30 m	2,135 m	315.12		0 m	0 m
04	98 ft	6,000 ft	42.31	ASPHALT	400 ft	0 ft
	30 m	1,829 m	39.03		122 m	0 m
22	98 ft	6,000 ft	222.32	ASPHALT	0 ft	0 ft
	30 m	1,829 m	219.04		0 m	0 m
17	75 ft	4,260 ft	177.26	ASPHALT	0 ft	0 ft
	23 m	1,298 m	173.99		0 m	0 m
35	75 ft	4,260 ft	357.26	ASPHALT	801 ft	0 ft
	23 m	1,298 m	353.99		244 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	IHUT	110.10 MHz	18 nm	138.39	-	1,514 ft
				33 km	135.12		1,514 m
13	GS	IHUT	110.10 MHz	10 nm	138.79	3.00	1,525 ft
				19 km	135.51		1,525 m

KAPA

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 3

Elevation: 5,884 ft / 1,793 m

Location: 39.570100 -104.848000

Magnetic Var: 7.455 E

METAR

KAPA 050653Z VRB05KT 10SM CLR 14/04 A3003 RMK A02 SLP104 T01440044 402610122

TAF

TAF KAPA 050526Z 0506/0606 21007KT P6SM SKC FM051100 17006KT P6SM SKC FM051900 31011G17KT P6SM SKC FM060000 33010G17KT P6SM SKC

Frequencies

REC - 120.30 MHz - ATIS

CLD - 128.60 MHz - CLEARANCE DELIVERY

TWR - 118.90 MHz - CENTENNIAL TOWER

DEP - 132.75 MHz - DENVER DEPARTURE

COM - 122.95 MHz - UNICOM

GND - 121.80 MHz - CENTENNIAL GROUND

APP - 132.75 MHz - DENVER APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	100 ft	10,015 ft	177.97	ASPHALT	0 ft	200 ft
	30 m	3,053 m	170.51		0 m	61 m
35R	100 ft	10,015 ft	357.97	ASPHALT	610 ft	194 ft
	30 m	3,053 m	350.51		186 m	59 m
17R	75 ft	7,009 ft	177.98	ASPHALT	0 ft	151 ft
	23 m	2,137 m	170.52		0 m	46 m
35L	75 ft	7,009 ft	357.98	ASPHALT	0 ft	151 ft
	23 m	2,137 m	350.52		0 m	46 m
10	75 ft	4,791 ft	110.99	ASPHALT	400 ft	151 ft
	23 m	1,460 m	103.54		122 m	46 m
28	75 ft	4,791 ft	291.00	ASPHALT	171 ft	148 ft
	23 m	1,460 m	283.55		52 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35R	DME	IAPA	111.30 MHz	18 nm	-	-	5,773 ft
				33 km	-		5,773 m
35R	LOC-ILS	IAPA	111.30 MHz	18 nm	357.97	-	5,884 ft
				33 km	350.51		5,884 m
35R	GS	IAPA	111.30 MHz	10 nm	357.97	3.00	5,884 ft
				19 km	350.51		5,884 m