

KANE

ANOKA CO BLAINE (Janes Field)


KJKA

Jack Edwards National

2024/06/07 0826Z

KANE RST **V503** CID **V67** BRL **V580** STL **V335** GLASS **V9** SQS **V11** CATTI KJKA

977.01 nm / 1809.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KANE APT	-	45.14490 -93.21120	0 ft 0 m	-	ANOKA CO BLAINE (Janes Field)
RST VOR	-	43.78290 -92.59700	10,000 ft 3,048 m	85	ROCHESTER
FARVI FIX	V503 AWY-LO	42.26970 -91.94520	10,000 ft 3,048 m	95	-
CID VOR	V503 AWY-LO	41.88750 -91.78570	10,000 ft 3,048 m	24	CEDAR RAPIDS
IOW VOR	V67 AWY-LO	41.51900 -91.61330	10,000 ft 3,048 m	23	IOWA CITY
WAPEL FIX	V67 AWY-LO	41.20330 -91.33810	10,000 ft 3,048 m	22	-
UTXIH FIX	V67 AWY-LO	41.14260 -91.28550	10,000 ft 3,048 m	4	-
BRL VOR	V67 AWY-LO	40.72350 -90.92590	10,000 ft 3,048 m	29	BURLINGTON
SEXTN FIX	V580 AWY-LO	39.84730 -90.63950	10,000 ft 3,048 m	54	-
LEBOY FIX	V580 AWY-LO	39.43340 -90.57300	10,000 ft 3,048 m	25	-
STL VOR	V580 AWY-LO	38.86070 -90.48240	10,000 ft 3,048 m	34	SAINT LOUIS
MERAM FIX	V335 AWY-LO	38.56310 -90.41930	10,000 ft 3,048 m	18	-
IMPER FIX	V335 AWY-LO	38.45230 -90.39600	10,000 ft 3,048 m	6	-
ARNOL FIX	V335 AWY-LO	38.26440 -90.35660	10,000 ft 3,048 m	11	-
GLASS FIX	V335 AWY-LO	38.12700 -90.32790	10,000 ft 3,048 m	8	-
SLVER FIX	V9 AWY-LO	38.00280 -90.30210	10,000 ft 3,048 m	7	-
MOJOB FIX	V9 AWY-LO	37.78870 -90.25780	10,000 ft 3,048 m	13	-
FAM VOR	V9 AWY-LO	37.67350 -90.23410	10,000 ft 3,048 m	7	FARMINGTON
MOGYU FIX	V9 AWY-LO	37.55970 -90.20080	10,000 ft 3,048 m	7	-
SOBAW FIX	V9 AWY-LO	37.09310 -90.06540	10,000 ft 3,048 m	28	-
MAW VOR	V9 AWY-LO	36.55510 -89.91140	10,000 ft 3,048 m	33	MALDEN
OPSEE FIX	V9 AWY-LO	36.44610 -89.96340	10,000 ft 3,048 m	7	-
ICJIX FIX	V9 AWY-LO	36.16120 -90.09870	10,000 ft 3,048 m	18	-
GQE VOR	V9 AWY-LO	35.34700 -90.47820	10,000 ft 3,048 m	52	GILMORE
UJM VOR	V9 AWY-LO	34.57500 -90.67440	10,000 ft 3,048 m	47	MARVELL (HELENA)
PAULH FIX	V9 AWY-LO	34.38310 -90.60500	10,000 ft 3,048 m	12	-
AKAYI	V9	33.97080	10,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-90.45720	3,048 m		
TILUC	V9	33.73760	10,000 ft	14	-
FIX	AWY-LO	-90.37420	3,048 m		
GUBEC	V9	33.60800	10,000 ft	8	-
FIX	AWY-LO	-90.32820	3,048 m		
SQS	V9	33.46380	10,000 ft	9	SIDON
VOR	AWY-LO	-90.27740	3,048 m		
YONUD	V11	33.31510	10,000 ft	9	-
FIX	AWY-LO	-90.25140	3,048 m		
BOOSI	V11	32.84730	10,000 ft	28	-
FIX	AWY-LO	-90.17050	3,048 m		
MHZ	V11	32.43410	10,000 ft	25	MAGNOLIA (MADISON)
VOR	AWY-LO	-90.09980	3,048 m		
RAKIN	V11	32.24470	10,000 ft	16	-
FIX	AWY-LO	-89.86290	3,048 m		
OBUII	V11	32.20500	10,000 ft	3	-
FIX	AWY-LO	-89.81350	3,048 m		
MIZZE	V11	31.83400	10,000 ft	32	-
FIX	AWY-LO	-89.35470	3,048 m		
SOSOE	V11	31.69300	10,000 ft	12	-
FIX	AWY-LO	-89.18650	3,048 m		
CATTI	V11	31.60370	10,000 ft	7	-
FIX	AWY-LO	-89.08040	3,048 m		
KJKA	-	30.28930	0 ft	107	Jack Edwards National
APT	-	-87.67300	0 m		

KANE

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 912 ft / 278 m
Location: 45.144900 -93.211200
Magnetic Var: 0.312 W

METAR

KANE 070815Z AUTO 27007KT 10SM CLR 16/09 A2976 RMK A02

TAF

UNKNOWN

Frequencies

REC - 120.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.85 MHz -
APP - 126.50 MHz - MINNEAPOLIS APP/DEP
COM - 126.05 MHz - CTAF
CLD - 121.30 MHz - CLNC DEL
TWR - 126.05 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	98 ft	4,861 ft	180.60	ASPHALT	0 ft	0 ft
	30 m	1,482 m	180.91		0 m	0 m
36	98 ft	4,861 ft	0.60	ASPHALT	0 ft	0 ft
	30 m	1,482 m	0.91		0 m	0 m
09	75 ft	3,990 ft	90.71	ASPHALT	0 ft	0 ft
	23 m	1,216 m	91.02		0 m	0 m
27	75 ft	3,990 ft	270.72	ASPHALT	0 ft	0 ft
	23 m	1,216 m	271.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IANE	111.15 MHz	18 nm	-	-	912 ft
				33 km	-		912 m
27	LOC-ILS	IANE	111.15 MHz	18 nm	270.71	-	912 ft
				33 km	271.03		912 m
27	GS	IANE	111.15 MHz	10 nm	271.43	3.00	912 ft
				19 km	271.74		912 m

KJKA

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 17 ft / 5 m
Location: 30.289300 -87.673000
Magnetic Var: 3.173 W

METAR

KJKA 070815Z AUTO 00000KT 4SM BR CLR 23/23 A2985 RMK A02

TAF

TAF KJKA 070520Z 0706/0806 VRB03KT P6SM FEW025 SCT250 FM071400 35006KT P6SM FEW030 SCT100 FM071800 22008KT P6SM F

Frequencies

REC - 134.52 MHz - AWOS 3
APP - 120.65 MHz - PENSACOLA APPROACH
COM - 122.70 MHz - CTAF
TWR - 120.65 MHz - PENSACOLA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	75 ft	3,600 ft	175.12	ASPHALT	0 ft	0 ft
	23 m	1,097 m	178.29		0 m	0 m
35	75 ft	3,600 ft	355.12	ASPHALT	0 ft	0 ft
	23 m	1,097 m	358.30		0 m	0 m
09	98 ft	6,969 ft	89.89	ASPHALT	476 ft	0 ft
	30 m	2,124 m	93.07		145 m	0 m
27	98 ft	6,969 ft	269.91	ASPHALT	0 ft	0 ft
	30 m	2,124 m	273.08		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	JKA	110.70 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
27	LOC-ILS	IJKA	110.70 MHz	18 nm	269.90	-	17 ft
				33 km	273.07		17 m
27	GS	IJKA	110.70 MHz	10 nm	269.90	3.00	17 ft
				19 km	273.07		17 m