

EGLL

London Heathrow


LHBP

Budapest Ferenc Liszt Intl

2024/05/08 0154Z

EGLL KONAN **UL607** KOK KOK **UL607** MATUG **UZ660** ENITA **Z660** ROKEM **Z650** PEPIK GUPLU TUTPI LHBP

816.20 nm / 1511.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
KONAN FIX	-	51.13080 2.00000	33,700 ft 10,272 m	94	-
KOK VOR	UL607 AWY-HI	51.09470 2.65167	35,000 ft 10,668 m	24	KOKSY
KOK DME	-	51.09920 2.65472	35,000 ft 10,668 m	0	KOKSY VORTAC
FERDI FIX	UL607 AWY-HI	50.91260 3.63697	35,000 ft 10,668 m	38	-
BUPAL FIX	UL607 AWY-HI	50.72310 4.60111	35,000 ft 10,668 m	38	-
REMB FIX	UL607 AWY-HI	50.66220 4.91403	35,000 ft 10,668 m	12	-
SPI VOR	UL607 AWY-HI	50.51470 5.62361	35,000 ft 10,668 m	28	SPRIMONT
PELIX FIX	UL607 AWY-HI	50.49690 5.76250	35,000 ft 10,668 m	5	-
MATUG FIX	UL607 AWY-HI	50.41670 6.36972	35,000 ft 10,668 m	23	-
GUBAX FIX	UZ660 AWY-HI	50.29030 7.91120	35,000 ft 10,668 m	59	-
RASPU FIX	UZ660 AWY-HI	50.07280 10.09860	35,000 ft 10,668 m	85	-
BOREP FIX	UZ660 AWY-HI	49.96580 10.62780	35,000 ft 10,668 m	21	-
BAMAS FIX	UZ660 AWY-HI	49.88000 11.04580	35,000 ft 10,668 m	16	-
KEPOM FIX	UZ660 AWY-HI	49.80810 11.38280	35,000 ft 10,668 m	13	-
ENITA FIX	UZ660 AWY-HI	49.70210 12.47390	35,000 ft 10,668 m	42	-
ETVIS FIX	Z660 AWY-HI	49.65380 12.81740	35,000 ft 10,668 m	13	-
ROKEM FIX	Z660 AWY-HI	49.52530 13.69470	35,000 ft 10,668 m	35	-
IVOLI FIX	Z650 AWY-HI	49.00060 16.45790	31,700 ft 9,662 m	112	-
PEPIK FIX	Z650 AWY-HI	48.78280 17.07920	25,800 ft 7,864 m	27	-
GUPLU FIX	-	48.71860 17.23920	24,200 ft 7,376 m	7	-
TUTPI FIX	-	48.71580 17.38610	23,000 ft 7,010 m	5	-
LHBP APT	-	47.43690 19.25560	0 ft 0 m	107	Budapest Ferenc Liszt Intl

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.376 E

METAR

EGLL 080120Z AUTO 06003KT 9999 NCD 10/08 Q1028 NOSIG

TAF

TAF EGLL 072254Z 0800/0906 03005KT 9999 FEW010 PROB40 0800/0808 7000 PROB30 TEMPO 0802/0808 BKN006 BECMG 0817/082

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.35		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.500 E

METAR

LHBP 080130Z 33002KT 9999 OVC037 14/11 Q1016 NOSIG

TAF

TAF TAF LHBP 072315Z 0800/0824 07008KT 9999 BKN035 TEMPO 0800/0806 VRB03KT -SHRA -RA BKN014 BKN030 BECMG 0811/0814

Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.92		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.98		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.94		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.94		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.98		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.98		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.94		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.94		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.98		495 m