


2024/05/03 0434Z

EKBI EKDIV EKCH

118.73 nm / 219.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKBI	-	55.74050	0 ft	-	Billund
APT	-	9.15708	0 m		
EKDIV	-	55.69690	12,200 ft	75	-
FIX	-	11.37970	3,719 m		
EKCH	-	55.61790	0 ft	43	Kastrup
APT	-	12.65600	0 m		

EKBI

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 1

Elevation: 247 ft / 75 m
Location: 55.740500 9.157080
Magnetic Var: 3.488 E

METAR

EKBI 030420Z AUTO 08013KT 9999 NCD 12/08 Q1008

TAF

TAF EKBI 022308Z 0300/0324 07015KT CAVOK TEMPO 0315/0318 3000 -SHRA TSRA BKN012 SCT030CB BECMG 0316/0318 21008KT

Frequencies

REC - 118.77 MHz - ATIS
TWR - 119.00 MHz - BILLUND TOWER
APP - 119.25 MHz - BILLUND ARRIVAL
GND - 131.90 MHz - BILLUND HANDLING
APP - 127.57 MHz - BILLUND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	10,180 ft	86.84	ASPHALT	492 ft	0 ft
	45 m	3,103 m	83.35		150 m	0 m
27	148 ft	10,180 ft	266.88	ASPHALT	492 ft	0 ft
	45 m	3,103 m	263.40		150 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	LEL	110.70 MHz	18 nm	-	-	246 ft
				33 km	-		246 m
09	LOC-ILS	BIL	111.70 MHz	18 nm	86.85	-	247 ft
				33 km	83.36		247 m
27	LOC-ILS	LEL	110.70 MHz	18 nm	266.86	-	247 ft
				33 km	263.37		247 m
09	GS	BIL	111.70 MHz	10 nm	87.70	3.00	247 ft
				19 km	84.21		247 m
27	GS	LEL	110.70 MHz	10 nm	267.70	3.00	247 ft
				19 km	264.21		247 m

EKCH

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 3

Elevation: 17 ft / 5 m
Location: 55.617900 12.656000
Magnetic Var: 4.668 E

METAR

EKCH 030420Z AUTO 07015KT 9999 NCD 12/08 Q1010 NOSIG

TAF

TAF EKCH 022308Z 0300/0324 08015KT CAVOK TEMPO 0317/0320 SCT050CB BECMG 0318/0320 VRB03KT TEMPO 0320/0324 4000 -S

Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m