

# MMCE

Ciudad del Carmen Intl


# MMM

Benito Juarez Intl

2024/04/28 0218Z

MMCE BASKO UJ28 VER UJ12 PBC MMM

417.98 nm / 774.10 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMCE	-	18.65190	0 ft	-	Ciudad del Carmen Intl
APT	-	-91.79950	0 m		
BASKO	-	18.83830	31,500 ft	88	-
FIX	-	-93.34250	9,601 m		
NOREL	UJ28	19.03560	32,000 ft	102	-
FIX	AWY-HI	-95.13420	9,754 m		
VER	UJ28	19.14320	32,000 ft	60	VERACRUZ
VOR	AWY-HI	-96.18910	9,754 m		
PBC	UJ12	19.16090	9,200 ft	123	PUEBLA
VOR	AWY-HI	-98.37020	2,804 m		
MMMX	-	19.43630	0 ft	43	Benito Juarez Intl
APT	-	-99.07210	0 m		

## MMM

Region: MEXICO  
Timezone: AMERICA/MEXICO\_CITY  
Runways: 2

Elevation: 7,315 ft / 2,230 m  
Location: 19.436300 -99.072100  
Magnetic Var: 3.906 E

## METAR

UNKNOWN

## TAF

TAF MMM 272309Z 2800/2900 21015KT P6SM SCT020 BKN080 BKN220 TX29/2820Z TN14/2812Z FM280300 00000KT P6SM SCT220 F

## Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.34		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.34		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.35		509 m	54 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.34		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.34		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.34		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.34		7,315 m