

LIPZ

Venezia-Tessera "Marco Polo"


LSZB

Bern-Belp

2024/05/08 0459Z

LIPZ UNTAD **Q333** RESIA **Z50** PELAD LSZB

221.44 nm / 410.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	-	45.50480 12.34970	0 ft 0 m	-	Venezia-Tessera "Marco Polo"
UNTAD FIX	-	46.22000 10.84280	27,200 ft 8,291 m	76 -	-
RESIA FIX	Q333 AWY-HI	46.47830 10.04330	23,200 ft 7,071 m	36 -	-
PELAD FIX	Z50 AWY-HI	46.59890 9.72583	20,000 ft 6,096 m	14 -	-
LSZB APT	-	46.91270 7.49763	0 ft 0 m	93	Bern-Belp

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.904 E

METAR

LIPZ 080420Z 35005KT 320V020 9000 BKN006 15/14 Q1015 NOSIG

TAF

TAF LIPZ 072300Z 0800/0906 01005KT 9999 SCT050 TEMPO 0802/0806 4000 BCFG BECMG 0811/0813 15010KT BECMG 0818/0820 0

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.13		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m

LSZB

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 2

Elevation: 1,670 ft / 509 m
Location: 46.912700 7.497630
Magnetic Var: 2.857 E

METAR

LSZB 080420Z AUTO 11002KT 9999 FEW003 SCT006 OVC030 08/08 Q1021

TAF

UNKNOWN

Frequencies

TWR - 121.02 MHz - BERN TOWER
APP - 127.32 MHz - BERN ARRIVAL
REC - 125.12 MHz - ATIS

CLD - 121.90 MHz - BERN DELIVERY
DEP - 127.32 MHz - BERN DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	98 ft	2,135 ft	140.24	GRASS	0 ft	85 ft
	30 m	651 m	137.38		0 m	26 m
32L	98 ft	2,135 ft	320.24	GRASS	0 ft	23 ft
	30 m	651 m	317.38		0 m	7 m
14	98 ft	5,681 ft	140.20	ASPHALT	669 ft	0 ft
	30 m	1,732 m	137.34		204 m	0 m
32	98 ft	5,681 ft	320.21	ASPHALT	0 ft	0 ft
	30 m	1,732 m	317.35		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IBE	110.10 MHz	18 nm	-	-	1,684 ft
				33 km	-		1,684 m
14	LOC-ILS	IBE	110.10 MHz	18 nm	140.20	-	1,670 ft
				33 km	137.34		1,670 m
14	GS	IBE	110.10 MHz	10 nm	140.20	4.00	1,670 ft
				19 km	137.34		1,670 m