

UHWW

Vladivostok Knevichi Intl


UIII

Irkutsk Intl

2024/05/08 1516Z

UHWW WQG **B451** HRB HRB **B451** HLD **A345** TELOK **A810** RINOP **A45** UNARA UIII

1281.51 nm / 2373.36 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 500kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UHHW	-	43.39690	0 ft	-	Vladivostok Knevichi Intl
APT	-	132.15000	0 m		
WQG	-	43.29500	14,700 ft	103	WANGQING VOR-DME
DME	-	129.78300	4,481 m		
ATODO	B451	43.80830	21,200 ft	45	-
FIX	AWY-HI	129.02000	6,462 m		
UGABI	B451	44.12670	24,000 ft	27	-
FIX	AWY-HI	128.55000	7,315 m		
KETOV	B451	45.03000	24,000 ft	79	-
FIX	AWY-HI	127.17700	7,315 m		
HRB	B451	45.62330	24,000 ft	52	HARBIN VOR-DME
DME	AWY-HI	126.26000	7,315 m		
HRB	-	45.62670	24,000 ft	0	HARBIN
VOR	-	126.26000	7,315 m		
ONINA	B451	46.27170	24,000 ft	54	-
FIX	AWY-HI	125.33700	7,315 m		
NDG	B451	47.24400	24,000 ft	82	QIQIHAR
VOR	AWY-HI	123.92100	7,315 m		
TEPOD	B451	47.80170	24,000 ft	57	-
FIX	AWY-HI	122.77000	7,315 m		
HLD	B451	49.20330	24,000 ft	144	HAILAR
VOR	AWY-HI	119.82200	7,315 m		
KAGAK	A345	49.26670	24,000 ft	67	-
FIX	AWY-HI	118.10000	7,315 m		
MANLI	A345	49.58330	24,000 ft	31	-
FIX	AWY-HI	117.45000	7,315 m		
TELOK	A345	49.63330	24,000 ft	4	-
FIX	AWY-HI	117.36700	7,315 m		
BADEK	A810	50.14560	24,000 ft	39	-
FIX	AWY-HI	116.74700	7,315 m		
NAREM	A810	50.38390	24,000 ft	18	-
FIX	AWY-HI	116.45100	7,315 m		
NEKLU	A810	50.58060	24,000 ft	22	-
FIX	AWY-HI	115.96100	7,315 m		
AGINO	A810	51.10060	24,000 ft	62	-
FIX	AWY-HI	114.53400	7,315 m		
UGBIS	A810	51.78720	19,200 ft	117	-
FIX	AWY-HI	111.60400	5,852 m		
RINOP	A810	52.16720	14,200 ft	71	-
FIX	AWY-HI	109.78400	4,328 m		
SODNI	A45	52.16390	12,900 ft	18	-
FIX	AWY-HI	109.28900	3,932 m		
RODEM	A45	52.14060	8,800 ft	56	-
FIX	AWY-HI	107.75500	2,682 m		
TATUR	A45	52.13390	8,000 ft	11	-
FIX	AWY-HI	107.45000	2,438 m		
UNARA	A45	52.10890	6,500 ft	21	-
FIX	AWY-HI	106.86200	1,981 m		
UIII	-	52.26710	0 ft	91	Irkutsk Intl
APT	-	104.39500	0 m		

UHWW

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 1

Elevation: 41 ft / 12 m
Location: 43.396900 132.150000
Magnetic Var: 10.806 W

METAR

UHWW 081500Z 05002MPS 9999 NSC 07/04 Q1014 R07R/0///70 NOSIG RMK QFE759

TAF

TAF UHWW 081358Z 0815/0915 09003MPS 9999 NSC BECMG 0816/0819 FEW003 BKN018 BECMG 0901/0903 27003G08MPS SCT030

Frequencies

APP - 124.70 MHz - VLADIVOSTOK APPROACH
GND - 121.70 MHz - VLADIVOSTOK GROUND
TWR - 126.00 MHz - VLADIVOSTOK TOWER
REC - 127.80 MHz - VLADIVOSTOK ATIS
COM - 119.50 MHz - VLADIVOSTOK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	11,485 ft	60.92	CONCRETE	0 ft	243 ft
	60 m	3,501 m	71.72		0 m	74 m
25L	197 ft	11,485 ft	240.94	CONCRETE	0 ft	246 ft
	60 m	3,501 m	251.75		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ILN	110.10 MHz	18 nm	240.93	-	41 ft
				33 km	251.74		41 m
07R	LOC-ILS	ILS	109.30 MHz	18 nm	60.93	-	41 ft
				33 km	71.74		41 m
25L	GS	ILN	110.10 MHz	10 nm	240.93	3.00	41 ft
				19 km	251.74		41 m
07R	GS	ILS	109.30 MHz	10 nm	60.93	3.01	41 ft
				19 km	71.74		41 m

UIII

Region: RUSSIA
Timezone: ASIA/IRKUTSK
Runways: 1

Elevation: 1,669 ft / 509 m
Location: 52.267100 104.395000
Magnetic Var: 4.149 W

METAR

UIII 081500Z 18002MPS CAVOK 09/M02 Q1010 R30/CLRD60 NOSIG RMK QFE713/0951

TAF

TAF UIII 081400Z 0815/0915 24003MPS 9999 NSC BECMG 0818/0820 30005MPS BKN020CB BECMG 0900/0901 32010G15MPS TEMPO

Frequencies

APP - 125.20 MHz - IRKUTSK APPROACH
GND - 121.70 MHz - IRKUTSK GROUND
COM - 119.30 MHz - IRKUTSK RADAR
REC - 124.85 MHz - IRKUTSK ATIS
TWR - 118.10 MHz - IRKUTSK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,686 ft	113.50	CONCRETE	1,312 ft	0 ft
	45 m	3,562 m	117.64		400 m	0 m
30	148 ft	11,686 ft	293.53	CONCRETE	1,309 ft	0 ft
	45 m	3,562 m	297.68		399 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	ICN	111.30 MHz	18 nm	113.52	-	1,669 ft
				33 km	117.67		1,669 m
30	LOC-ILS	IIR	110.30 MHz	18 nm	293.52	-	1,669 ft
				33 km	297.67		1,669 m
12	GS	ICN	111.30 MHz	10 nm	113.52	3.30	1,669 ft
				19 km	117.67		1,669 m
30	GS	IIR	110.30 MHz	10 nm	293.52	3.30	1,669 ft
				19 km	297.67		1,669 m