


2024/05/15 0533Z

KACT SICUM KSEP

60.42 nm / 111.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KACT	-	31.61200	0 ft	-	Waco Rgnl
APT	-	-97.23090	0 m		
SICUM	-	32.17040	900 ft	56	-
FIX	-	-98.11300	274 m		
KSEP	-	32.21540	0 ft	4	CLARK FLD MUNI
APT	-	-98.17910	0 m		

KACT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 516 ft / 157 m
Location: 31.612000 -97.230900
Magnetic Var: 2.840 E

METAR

KACT 150451Z 17005KT 10SM CLR 21/16 A2983 RMK A02 SLP093 T02060161

TAF

TAF AMD KACT 150251Z 1503/1524 15005KT P6SM FEW250 FM151700 17015KT P6SM SCT250

Frequencies

REC - 123.85 MHz - ATIS
GND - 121.90 MHz - WACO GROUND
APP - 127.85 MHz - WACO APPROACH
COM - 122.95 MHz - WACO UNICOM
TWR - 119.30 MHz - WACO TOWER
DEP - 126.12 MHz - WACO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	7,127 ft	14.16	ASPHALT	102 ft	0 ft
	46 m	2,172 m	11.32		31 m	0 m
19	150 ft	7,127 ft	194.16	ASPHALT	0 ft	0 ft
	46 m	2,172 m	191.32		0 m	0 m
14	150 ft	5,112 ft	149.36	ASPHALT	0 ft	0 ft
	46 m	1,558 m	146.52		0 m	0 m
32	150 ft	5,112 ft	329.36	ASPHALT	0 ft	0 ft
	46 m	1,558 m	326.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IACT	109.70 MHz	18 nm	-	-	516 ft
				33 km	-		516 m
19	LOC-ILS	IACT	109.70 MHz	18 nm	194.17	-	500 ft
				33 km	191.33		500 m
19	GS	IACT	109.70 MHz	10 nm	194.33	2.50	504 ft
				19 km	191.49		504 m