

LFPG

Paris Charles De Gaulle


HECA

Cairo Intl

2024/05/07 0733Z

LFPG MELKO **UM606** MANAG **UM139** LUL **G4** HR **W110** WIL BERSU **Z55** GERSA **Z50** RESIA **N1** VIE **L612** BRD **L995**
TIGRA **UL995** KRK **UL53** KOR **UN134** MIL **UL617** SIT **A10** PAXIS **A727** NOZ HECA

1747.27 nm / 3235.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
MELKO	-	48.27810	33,700 ft	94	-
FIX	-	4.67361	10,272 m		
MANAG	UM606	48.10310	35,000 ft	22	-
FIX	AWY-HI	5.16583	10,668 m		
MOTUK	UM139	47.86500	35,000 ft	29	-
FIX	AWY-HI	5.82028	10,668 m		
LUL	UM139	47.68830	35,000 ft	21	LUXEUIL
VOR	AWY-HI	6.29558	10,668 m		
HR	G4	47.56170	35,000 ft	19	HERICOURT
NDB	AWY-LO	6.73225	10,668 m		
HR12	W110	47.46970	35,000 ft	11	-
FIX	AWY-LO	6.99444	10,668 m		
LUMEL	W110	47.40720	35,000 ft	7	-
FIX	AWY-LO	7.15389	10,668 m		
LEPLA	W110	47.34340	35,000 ft	9	-
FIX	AWY-LO	7.36611	10,668 m		
WIL	W110	47.17830	35,000 ft	24	WILLISAU
VOR	AWY-LO	7.90592	10,668 m		
BERSU	-	47.13550	35,000 ft	2	-
FIX	-	7.94131	10,668 m		
URIGI	Z55	47.05890	35,000 ft	19	-
FIX	AWY-HI	8.41361	10,668 m		
GERSA	Z55	47.03940	35,000 ft	4	-
FIX	AWY-HI	8.53211	10,668 m		
KELIP	Z50	46.95620	35,000 ft	10	-
FIX	AWY-HI	8.76167	10,668 m		
SOPER	Z50	46.88940	35,000 ft	8	-
FIX	AWY-HI	8.94444	10,668 m		
PELAD	Z50	46.59890	35,000 ft	36	-
FIX	AWY-HI	9.72583	10,668 m		
RESIA	Z50	46.47830	35,000 ft	14	-
FIX	AWY-HI	10.04330	10,668 m		
BELOV	N1	44.54250	35,000 ft	161	-
FIX	AWY-HI	12.71330	10,668 m		
BEDEG	N1	43.27720	35,000 ft	104	-
FIX	AWY-HI	14.36970	10,668 m		
VIE	N1	41.91280	35,000 ft	110	VIESTE
VOR	AWY-HI	16.04920	10,668 m		
PISIP	L612	41.53030	35,000 ft	34	-
FIX	AWY-HI	16.63640	10,668 m		
UVOKA	L612	41.37970	35,000 ft	13	-
FIX	AWY-HI	16.86360	10,668 m		
PIKEL	L612	41.18420	35,000 ft	17	-
FIX	AWY-HI	17.15830	10,668 m		
DOLON	L612	40.88920	35,000 ft	26	-
FIX	AWY-HI	17.59440	10,668 m		
BRD	L612	40.61090	35,000 ft	24	BRINDISI
VOR	AWY-HI	18.00290	10,668 m		
ORSOM	L995	40.36580	35,000 ft	25	-
FIX	AWY-HI	18.44670	10,668 m		
TIGRA	L995	40.05670	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	19.00000	10,668 m		
KRK	UL995	39.44390	35,000 ft	61	KERKIRA
VOR	AWY-HI	20.07280	10,668 m		
PARNA	UL53	39.26220	35,000 ft	19	-
FIX	AWY-HI	20.43030	10,668 m		
GARTA	UL53	38.98500	35,000 ft	30	-
FIX	AWY-HI	20.96830	10,668 m		
ELVAS	UL53	38.52470	35,000 ft	49	-
FIX	AWY-HI	21.84190	10,668 m		
IXONI	UL53	38.31500	35,000 ft	22	-
FIX	AWY-HI	22.23220	10,668 m		
PIKAD	UL53	38.06140	35,000 ft	26	-
FIX	AWY-HI	22.69780	10,668 m		
KOR	UL53	37.93040	35,000 ft	13	KORINTHOS
NDB	AWY-HI	22.93590	10,668 m		
MIL	UN134	36.74750	35,000 ft	103	MILOS
VOR	AWY-HI	24.51950	10,668 m		
ALIKI	UL617	35.92500	35,000 ft	63	-
FIX	AWY-HI	25.34890	10,668 m		
XAVIS	UL617	35.69470	35,000 ft	17	-
FIX	AWY-HI	25.57690	10,668 m		
SIT	UL617	35.06840	35,000 ft	48	SITIA
VOR	AWY-HI	26.18910	10,668 m		
PAXIS	A10	33.95170	35,000 ft	87	-
FIX	AWY-LO	27.33330	10,668 m		
GESAD	A727	32.94470	35,000 ft	78	-
FIX	AWY-HI	28.33500	10,668 m		
OTIKO	A727	31.57250	27,500 ft	104	-
FIX	AWY-HI	29.61000	8,382 m		
NOZ	A727	31.18760	21,300 ft	28	ALEXANDRIA
VOR	AWY-HI	29.95070	6,492 m		
HECA	-	30.11140	0 ft	99	Cairo Intl
APT	-	31.41390	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.494 E

METAR

LFPG 070700Z 01005KT 330V080 9999 FEW010 SCT056 BKN080 12/10 Q1017 NOSIG

TAF

TAF LFPG 070500Z 0706/0812 VRB02KT CAVOK TX18/0714Z TN10/0805Z BECMG 0709/0711 02010KT PROB40 TEMPO 0710/0717 SCT

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.950 E

METAR

HECA 070700Z 01005KT 9999 SCT025 20/11 Q1017 NOSIG

TAF

TAF HECA 070500Z 0706/0812 32009KT 9999 SCT025

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m