

SBNT

Natal Augusto Severo Air Base


SBSV

Salvador-Luis Eduardo Magalhaes Intl

2024/05/21 0243Z

SBNT RUMBA NEUMA ZIPAR AZOTE SBSV

458.29 nm / 848.75 km



Notes

Requested: SBNT RUMBA NEUMA ZIPAR AZOTE APUC LAMA SBSV

Unmatched points: APUC

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SBNT	-	-5.91171	0 ft	-	Natal Augusto Severo Air Base	
APT	-	-35.24770	0 m			
RUMBA	-	-7.12233	0 ft	79	-	
FIX	-	-35.77280	0 m			
NEUMA	-	-7.71783	0 ft	38	-	
FIX	-	-36.03080	0 m			
ZIPAR	-	-9.23600	0 ft	99	-	
FIX	-	-36.69280	0 m			
AZOTE	-	-11.83400	0 ft	170	-	
FIX	-	-37.84080	0 m			
SBSV	-	-12.91090	0 ft	70	Salvador-Luis Eduardo Magalhaes Intl	
APT	-	-38.33110	0 m			

SBNT

Region: BRAZIL
Timezone: AMERICA/FORTALEZA
Runways: 3

Elevation: 171 ft / 52 m
Location: -5.911710 -35.247700
Magnetic Var: 21.113 W

METAR

SBNT 210200Z 18004KT 9999 FEW018 25/24 Q1014

TAF

TAF SBNT 202110Z 2100/2112 14010KT 9999 FEW020 TN24/2106Z TX29/2112Z BECMG 2102/2104 19005KT RMK PHD

Frequencies

REC - 132.65 MHz - NATAL ATIS
TWR - 118.70 MHz - NATAL TOWER
APP - 119.65 MHz - NATAL APPROACH

GND - 121.90 MHz - NATAL GROUND
APP - 119.30 MHz - NATAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,545 ft	141.11	ASPHALT	0 ft	279 ft
	45 m	2,604 m	162.23		0 m	85 m
34R	148 ft	8,545 ft	321.11	ASPHALT	0 ft	197 ft
	45 m	2,604 m	342.22		0 m	60 m
12	148 ft	5,993 ft	99.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	120.15		0 m	0 m
30	148 ft	5,993 ft	279.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	300.15		0 m	0 m
16R	148 ft	5,924 ft	141.20	ASPHALT	0 ft	0 ft
	45 m	1,806 m	162.31		0 m	0 m
34L	148 ft	5,924 ft	321.20	ASPHALT	0 ft	1,335 ft
	45 m	1,806 m	342.31		0 m	407 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	INT	109.30 MHz	18 nm	-	-	169 ft
				33 km	-		169 m
16L	LOC-ILS	INT	109.30 MHz	18 nm	141.11	-	170 ft
				33 km	162.22		170 m
16L	GS	INT	109.30 MHz	10 nm	141.11	3.00	170 ft
				19 km	162.22		170 m

SBSV

Region: BRAZIL
Timezone: AMERICA/BAHIA
Runways: 2

Elevation: 66 ft / 20 m
Location: -12.910900 -38.331100
Magnetic Var: 23.568 W

METAR

SBSV 210200Z 15009KT 9999 SCT023 27/22 Q1016

TAF

TAF SBSV 201900Z 2100/2124 24004KT 9999 SCT020 TN25/2108Z TX29/2117Z TEMPO 2100/2104 5000 RA BR BKN010 FEW023TCU

Frequencies

REC - 127.75 MHz - ATIS	GND - 121.90 MHz - SALVADOR GROUND
TWR - 118.30 MHz - SALVADOR TOWER	TWR - 118.60 MHz - SALVADOR TOWER
TWR - 118.95 MHz - SALVADOR TOWER	TWR - 121.10 MHz - SALVADOR TOWER
APP - 119.35 MHz - SALVADOR APPROACH	APP - 119.80 MHz - SALVADOR APPROACH
APP - 120.80 MHz - SALVADOR APPROACH	APP - 129.45 MHz - SALVADOR APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	4,992 ft	144.01	ASPHALT	0 ft	92 ft
	45 m	1,521 m	167.58		0 m	28 m
35	148 ft	4,992 ft	324.01	ASPHALT	0 ft	105 ft
	45 m	1,521 m	347.58		0 m	32 m
10	148 ft	9,862 ft	78.35	ASPHALT	0 ft	197 ft
	45 m	3,006 m	101.92		0 m	60 m
28	148 ft	9,862 ft	258.35	ASPHALT	0 ft	180 ft
	45 m	3,006 m	281.92		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ISV	109.30 MHz	18 nm	78.35	-	66 ft
				33 km	101.92		66 m
28	LOC-ILS	SVD	116.50 MHz	18 nm	258.35	-	66 ft
				33 km	281.92		66 m
10	GS	ISV	109.30 MHz	10 nm	78.35	3.00	66 ft
				19 km	101.92		66 m
28	GS	SVD	116.50 MHz	10 nm	258.35	3.00	66 ft
				19 km	281.92		66 m