

SBGL

Galeao Antonio Carlos Jombim


GOOY

Dakar Leopold Sedar Senghor Intl

2024/05/13 0622Z

SBGL ADA KODOS TAROT **UA302** BOMSA GOOY

2743.47 nm / 5080.91 km



Notes

Requested: SBGL ADA UL340 LOBIK UM661 PAMOX UL206 KODOS TAROT UA302 BOMSA GOOY

Unmatched points: UL340 LOBIK UM661 PAMOX UL206

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGL	-	-22.80894	0 ft	-	Galeao Antonio Carlos Jombim
APT	-	-43.24368	0 m		
ADA	-	-22.82296	0 ft	63	ALDEIA NDB
NDB	-	-42.09649	0 m		
KODOS	-	1.20300	0 ft	1716	-
FIX	-	-26.21700	0 m		
TAROT	-	11.46500	0 ft	729	-
FIX	-	-19.66667	0 m		
INIRO	UA302	13.33194	0 ft	133	-
FIX	AWY-HI	-18.42778	0 m		
BOMSA	UA302	13.96889	0 ft	45	-
FIX	AWY-HI	-18.00000	0 m		
GOOY	-	14.73971	0 ft	54	Dakar Leopold Sedar Senghor Intl
APT	-	-17.49023	0 m		

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.422 W

METAR

SBGL 130600Z 07003KT CAVOK 23/21 Q1009

TAF

TAF SBGL 122215Z 1300/1406 09005KT 9999 FEW030 TN23/1309Z TX35/1316Z BECMG 1308/1311 30005KT 7000 NSC BECMG 1312/

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.82		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.80		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.07		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.06		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.81		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.07		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.81		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.81		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.07		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.81		28 m

GOOY

Region: SENEGAL
Timezone: AFRICA/DAKAR
Runways: 2

Elevation: 84 ft / 26 m
Location: 14.740100 -17.490400
Magnetic Var: 6.624 W

METAR

GOOY 130600Z 24004KT 210V290 CAVOK 23/21 Q1010

TAF

TAF GOOY 130500Z 1306/1412 34008KT CAVOK= TAF GOBD 130500Z 1306/1412 34010KT 4800 BR NSC BECMG 1308/1310 8000 NSW

Frequencies

TWR - 118.10 MHz - DAKAR TWR
APP - 120.50 MHz - DAKAR CON

REC - 121.30 MHz - DAKAR ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,483 ft	172.61	ASPHALT	525 ft	220 ft
	45 m	3,500 m	179.23		160 m	67 m
36	148 ft	11,483 ft	352.61	ASPHALT	0 ft	213 ft
	45 m	3,500 m	359.23		0 m	65 m
03	98 ft	4,916 ft	22.33	ASPHALT	0 ft	98 ft
	30 m	1,498 m	28.95		0 m	30 m
21	98 ft	4,916 ft	202.33	ASPHALT	0 ft	1,591 ft
	30 m	1,498 m	208.95		0 m	485 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	YF	110.30 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
36	LOC-ILS	YF	110.30 MHz	18 nm	352.33	-	65 ft
				33 km	358.95		65 m
36	GS	YF	110.30 MHz	10 nm	353.14	3.01	73 ft
				19 km	359.77		73 m