

LSZH
Zurich


—

LEBL
Josep Tarradellas Barcelona-El Prat

2024/06/01 0919Z

LSZH VEBIT ROTOS BADEP ULMES ESEVA VADAR LEBL

468.32 nm / 867.32 km



Notes

Requested: LSZH VEBIT ROTOS BADEP ULMES ESEVA VADAR LEBL

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LSZH	-	47.46350	0 ft	-		Zurich
APT	-	8.54995	0 m			
VEBIT	-	47.26860	0 ft	25	-	
FIX	-	8.00583	0 m			
RTOS	-	47.18990	0 ft	12	-	
FIX	-	7.72517	0 m			
BADEP	-	47.02720	0 ft	15	-	
FIX	-	7.42444	0 m			
ULMES	-	46.95500	0 ft	6	-	
FIX	-	7.29264	0 m			
ESEVA	-	46.80210	0 ft	14	-	
FIX	-	7.01467	0 m			
VADAR	-	46.65720	0 ft	13	-	
FIX	-	6.75361	0 m			
LEBL	-	41.29510	0 ft	379		Josep Tarradellas Barcelona-El Prat
APT	-	2.08803	0 m			

LSZH

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 3

Elevation: 1,416 ft / 432 m
Location: 47.463500 8.549950
Magnetic Var: 3.132 E

METAR

LSZH 010850Z 20005KT 170V250 9999 FEW008 SCT013 BKN025 13/11 Q1017 TEMPO BKN013

TAF

TAF LSZH 010825Z 0109/0215 21004KT 9999 FEW010 BKN015 TX16/0114Z TN11/0204Z TX19/0214Z PROB30 TEMPO 0112/0116 SH

Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.90		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.16		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.18		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.86		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.548 E

METAR

LEBL 010900Z 32006G20KT 250V010 9999 FEW035 BKN040 19/10 Q1016 NOSIG

TAF

TAF LEBL 010500Z 0106/0206 33007KT 9999 BKN045 TX22/0113Z TN17/0106Z BECMG 0108/0110 16010KT PROB40 TEMPO 0116/01

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.36		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.93		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.37		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.37		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m