


2024/05/01 0344Z

LFBT BMC A25 TIRAV UT183 DEGEX UN490 BERAD UM142 INSUN UN160 BOGMI EICK

639.00 nm / 1183.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBT	-	43.17860	0 ft	-	Tarbes Ossun Lourdes
APT	-	-0.00634	0 m		
BMC	-	44.82690	35,000 ft	103	BORDEAUX MERIGNAC
VOR	-	-0.72111	10,668 m		
ROYAN	A25	45.66670	35,000 ft	52	-
FIX	AWY-LO	-1.03667	10,668 m		
MAREN	A25	45.73330	35,000 ft	4	-
FIX	AWY-LO	-1.06167	10,668 m		
OLERO	A25	45.96970	35,000 ft	14	-
FIX	AWY-LO	-1.15028	10,668 m		
LUSON	A25	46.50000	35,000 ft	32	-
FIX	AWY-LO	-1.35083	10,668 m		
TIRAV	A25	46.59890	35,000 ft	6	-
FIX	AWY-LO	-1.39083	10,668 m		
MOKOR	UT183	47.00690	35,000 ft	35	-
FIX	AWY-HI	-2.01389	10,668 m		
DEGEX	UT183	47.74390	35,000 ft	64	-
FIX	AWY-HI	-3.15667	10,668 m		
TERKU	UN490	48.03000	35,000 ft	25	-
FIX	AWY-HI	-3.61667	10,668 m		
BERAD	UN490	48.30190	35,000 ft	24	-
FIX	AWY-HI	-4.06167	10,668 m		
NERLA	UM142	48.99310	35,000 ft	47	-
FIX	AWY-HI	-4.63194	10,668 m		
GANTO	UM142	49.39720	35,000 ft	27	-
FIX	AWY-HI	-4.98111	10,668 m		
OGAGI	UM142	49.45610	35,000 ft	4	-
FIX	AWY-HI	-5.03250	10,668 m		
DOLUR	UM142	49.48440	35,000 ft	1	-
FIX	AWY-HI	-5.05722	10,668 m		
LND	UM142	50.13630	32,100 ft	45	LANDS END
VOR	AWY-HI	-5.63693	9,784 m		
INSUN	UM142	50.39530	25,500 ft	30	-
FIX	AWY-HI	-6.32333	7,772 m		
BOGMI	UN160	50.99810	14,900 ft	49	-
FIX	AWY-HI	-7.20472	4,542 m		
EICK	-	51.84280	0 ft	69	Cork
APT	-	-8.48933	0 m		

LFBT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,260 ft / 384 m
Location: 43.178600 -0.006338
Magnetic Var: 0.985 E

METAR

LFBT 010330Z AUTO 28006KT 9999 BKN008 OVC014 11/10 Q1008 TEMPO 4000 RA OVC004

TAF

TAF LFBT 302300Z 0100/0124 27010KT 9999 OVC008 TEMPO 0100/0105 3000 -DZ OVC004 BECMG 0108/0110 OVC012 TEMPO 0105/0110 4000 -DZ OVC004

Frequencies

REC - 125.95 MHz - ATIS
TWR - 119.05 MHz - LOURDES TOWER
APP - 121.17 MHz - PYRENEES APP
GND - 121.80 MHz - LOURDES GROUND
APP - 120.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,851 ft	20.27	ASPHALT	2,192 ft	0 ft
	45 m	3,003 m	19.28		668 m	0 m
20	148 ft	9,851 ft	200.28	ASPHALT	0 ft	0 ft
	45 m	3,003 m	199.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	OS	109.50 MHz	18 nm	-	-	1,217 ft
				33 km	-		1,217 m
20	LOC-ILS	OS	109.50 MHz	18 nm	200.27	-	1,265 ft
				33 km	199.28		1,265 m
20	GS	OS	109.50 MHz	10 nm	200.54	3.00	1,265 ft
				19 km	199.55		1,265 m

EICK

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 501 ft / 153 m
Location: 51.842800 -8.489330
Magnetic Var: 2.584 W

METAR

EICK 010330Z 18004KT 9999 FEW020 SCT030 05/04 Q1003 NOSIG

TAF

TAF EICK 302300Z 0100/0124 16006KT 9999 SCT012 BKN030 PROB30 TEMPO 0100/0108 4000 -SHRA BKN012 SCT020CB BECMG 0100/0108 16006KT 9999 FEW020 SCT030 05/04 Q1003 NOSIG

Frequencies

REC - 120.92 MHz - CORK ATIS
TWR - 119.30 MHz - CORK TOWER

GND - 121.85 MHz - CORK GROUND
APP - 119.90 MHz - CORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	6,992 ft	159.93	ASPHALT	0 ft	0 ft
	46 m	2,131 m	162.51		0 m	0 m
34	150 ft	6,992 ft	339.94	ASPHALT	0 ft	0 ft
	46 m	2,131 m	342.52		0 m	0 m
07	148 ft	4,250 ft	62.54	CONCRETE	0 ft	0 ft
	45 m	1,295 m	65.13		0 m	0 m
25	148 ft	4,250 ft	242.55	CONCRETE	0 ft	0 ft
	45 m	1,295 m	245.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICS	109.90 MHz	18 nm	159.94	-	501 ft
				33 km	162.52		501 m
34	LOC-ILS	ICN	109.15 MHz	18 nm	339.94	-	501 ft
				33 km	342.52		501 m
16	GS	ICS	109.90 MHz	10 nm	159.94	3.00	501 ft
				19 km	162.52		501 m
34	GS	ICN	109.15 MHz	10 nm	339.94	3.00	501 ft
				19 km	342.52		501 m