


2024/05/18 0127Z

CYQM 1F CZBF

101.39 nm / 187.77 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQM	-	46.11170	0 ft	-	GREATER MONCTON INTL
APT	-	-64.67980	0 m		
1F	-	47.63060	0 ft	101	BATHURST
NDB	-	-65.74460	0 m		
CZBF	-	47.62960	0 ft	0	Bathurst
APT	-	-65.73900	0 m		

CYQM

Region: CANADA
Timezone: AMERICA/MONCTON
Runways: 2

Elevation: 231 ft / 70 m
Location: 46.111700 -64.679800
Magnetic Var: 16.780 W

METAR

CYQM 180100Z 03006KT 15SM BKN260 10/09 A3010 RMK CI5 SLP196

TAF

TAF CYQM 172340Z 1800/1824 03008KT P6SM FEW120 FM180200 03006KT P6SM BKN040 PROB30 1802/1807 3/4SM BR BKN003 FM180700 03008KT P6SM FEW120

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.80 MHz -

GND - 121.80 MHz -
APP - 124.40 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	200 ft	7,982 ft	87.43	ASPHALT	0 ft	0 ft
	61 m	2,433 m	104.21		0 m	0 m
29	200 ft	7,982 ft	267.45	ASPHALT	0 ft	0 ft
	61 m	2,433 m	284.23		0 m	0 m
06	200 ft	10,015 ft	42.41	ASPHALT	0 ft	0 ft
	61 m	3,053 m	59.19		0 m	0 m
24	200 ft	10,015 ft	222.43	ASPHALT	0 ft	0 ft
	61 m	3,053 m	239.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IFG	109.70 MHz	18 nm	42.42	-	231 ft
				33 km	59.20		231 m
29	LOC-ILS	IQM	109.30 MHz	18 nm	267.44	-	231 ft
				33 km	284.22		231 m
06	GS	IFG	109.70 MHz	10 nm	42.42	3.00	231 ft
				19 km	59.20		231 m
29	GS	IQM	109.30 MHz	10 nm	267.44	3.00	231 ft
				19 km	284.22		231 m