


2024/05/04 0937Z

LMML BERMI LICA

201.96 nm / 374.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LMML	-	35.84940	0 ft	-		Malta Intl
APT	-	14.48180	0 m			
BERMI	-	37.50530	20,100 ft	107	-	
FIX	-	15.35530	6,126 m			
LICA	-	38.90500	0 ft	93		Lamezia Terme "Sant'Eufemia"
APT	-	16.24580	0 m			

LMML

Region: MALTA
Timezone: EUROPE/MALTA
Runways: 2

Elevation: 297 ft / 91 m
Location: 35.849400 14.481800
Magnetic Var: 3.620 E

METAR

LMML 040915Z 31017KT 9999 FEW020 20/10 Q1018 NOSIG

TAF

TAF LMML 040500Z 0406/0506 30013KT 9999 FEW018 PROB40 TEMPO 0410/0418 29018G28KT BECMG 0421/0424 VRB05KT

Frequencies

REC - 127.40 MHz - LUQA ATIS
TWR - 135.10 MHz - LUQA TOWER

GND - 121.60 MHz - LUQA GROUND
APP - 128.15 MHz - LUQA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	197 ft	11,618 ft	134.87	ASPHALT	0 ft	0 ft
	60 m	3,541 m	131.25		0 m	0 m
31	197 ft	11,618 ft	314.89	ASPHALT	614 ft	177 ft
	60 m	3,541 m	311.27		187 m	54 m
05	148 ft	7,794 ft	54.40	ASPHALT	0 ft	95 ft
	45 m	2,376 m	50.78		0 m	29 m
23	148 ft	7,794 ft	234.42	ASPHALT	0 ft	102 ft
	45 m	2,376 m	230.80		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	LQ	109.70 MHz	18 nm	134.86	-	299 ft
				33 km	131.24		299 m
31	LOC-ILS	LM	110.50 MHz	18 nm	314.86	-	299 ft
				33 km	311.24		299 m
13	GS	LQ	109.70 MHz	10 nm	134.86	2.85	299 ft
				19 km	131.24		299 m
31	GS	LM	110.50 MHz	10 nm	314.86	2.85	299 ft
				19 km	311.24		299 m

LICA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 38.905000 16.245800
Magnetic Var: 4.123 E

METAR

LICA 040850Z AUTO 27017KT 9999 FEW046/// 19/11 Q1016

TAF

TAF LICA 040005Z 0406/0506 29016KT 9999 SCT030 TEMPO 0406/0411 28016G26KT SHRA

Frequencies

TWR - 125.90 MHz - LAMEZIA TOWER
APP - 122.10 MHz - LAMEZIA APPROACH

TWR - 122.10 MHz - LAMEZIA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	154 ft	9,908 ft	98.51	ASPHALT	328 ft	0 ft
	47 m	3,020 m	94.39		100 m	0 m
28	154 ft	9,908 ft	278.53	ASPHALT	1,224 ft	0 ft
	47 m	3,020 m	274.41		373 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	LAM	110.30 MHz	25 nm	-	-	21 ft
				46 km	-		21 m
28	LOC-ILS	LAM	110.30 MHz	18 nm	278.56	-	39 ft
				33 km	274.44		39 m
28	GS	LAM	110.30 MHz	10 nm	278.56	3.00	39 ft
				19 km	274.44		39 m