

LDZA

Zagreb


LIBD

Bari Palese Macchie

2024/06/09 2143Z

LDZA SIRMI **M725** SPL **L862** RILIM LIBD

281.83 nm / 521.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 300ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LDZA	-	45.74189	0 ft	-	Zagreb
APT	-	16.06720	0 m		
SIRMI	-	44.15000	34,300 ft	96	-
FIX	-	16.30361	10,455 m		
SPL	M725	43.49658	31,300 ft	39	SPLIT VOR-DME
VOR	AWY-LO	16.30472	9,540 m		
RILIM	L862	42.65861	19,500 ft	55	-
FIX	AWY-LO	16.81556	5,944 m		
LIBD	-	41.13787	0 ft	91	Bari Palese Macchie
APT	-	16.75832	0 m		

LDZA

Region: CROATIA
Timezone: EUROPE/ZAGREB
Runways: 1

Elevation: 353 ft / 108 m
Location: 45.741800 16.067200
Magnetic Var: 4.687 E

METAR

LDZA 092130Z VRB01KT CAVOK 23/20 Q1005 NOSIG

TAF

TAF LDZA 091725Z 0918/1018 22004KT CAVOK TX28/1014Z TN18/1004Z PROB30 TEMPO 0923/1001 TSRA FEW050CB PROB30 TEMPO

Frequencies

REC - 124.57 MHz - ZAGREB ATIS	GND - 121.85 MHz - ZAGREB GROUND
TWR - 118.30 MHz - ZAGREB TOWER	TWR - 119.12 MHz - ZAGREB TOWER
APP - 120.70 MHz - ZAGREB APPROACH	APP - 118.50 MHz - ZAGREB APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,666 ft	46.70	CONCRETE	0 ft	0 ft
	45 m	3,251 m	42.01		0 m	0 m
22	148 ft	10,666 ft	226.72	CONCRETE	0 ft	0 ft
	45 m	3,251 m	222.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IZA	109.50 MHz	18 nm	46.72	-	353 ft
				33 km	42.03		353 m
22	LOC-ILS	IZG	109.10 MHz	18 nm	226.72	-	353 ft
				33 km	222.03		353 m
04	GS	IZA	109.50 MHz	10 nm	46.72	3.00	353 ft
				19 km	42.03		353 m
22	GS	IZG	109.10 MHz	10 nm	226.72	3.00	353 ft
				19 km	222.03		353 m

LIBD

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 173 ft / 53 m
Location: 41.137900 16.758300
Magnetic Var: 4.400 E

METAR

LIBD 092120Z 15007KT CAVOK 29/13 Q1008

TAF

TAF LIBD 091700Z 0918/1018 18012KT CAVOK BECMG 0922/0924 VRB05KT BECMG 1007/1009 24012KT BECMG 1016/1018 VRB05KT

Frequencies

REC - 124.05 MHz - ATIS
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER
APP - 136.10 MHz - BARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	64.99		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	64.99		175 m