


2024/05/10 1111Z

ENGM IPMOD P600 ZOL T400 ALOTI UM89 RIVOT UM82 TIPTA EGCC

618.51 nm / 1145.48 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ENGM	-	60.19450	0 ft	-	Oslo Gardermoen
APT	-	11.09890	0 m	-	
IPMOD	-	59.73940	31,600 ft	88	-
FIX	-	8.29639	9,632 m	-	
ROPNO	P600	59.32980	35,000 ft	50	-
FIX	AWY-HI	6.84458	10,668 m	-	
ZOL	P600	58.87500	35,000 ft	46	SOLA (STAVANGER)
VOR	AWY-HI	5.64007	10,668 m	-	
ALOTI	T400	57.90750	35,000 ft	86	-
FIX	AWY-HI	3.60836	10,668 m	-	
RIVOT	UM89	56.40810	35,000 ft	128	-
FIX	AWY-HI	0.77694	10,668 m	-	
ROBEM	UM82	55.45920	28,900 ft	83	-
FIX	AWY-HI	-1.02056	8,809 m	-	
TIPTA	UM82	54.80360	19,400 ft	44	-
FIX	AWY-HI	-1.61139	5,913 m	-	
EGCC	-	53.34740	0 ft	90	Manchester
APT	-	-2.28348	0 m	-	

## ENGM

Region: NORWAY  
Timezone: EUROPE/OSLO  
Runways: 2

Elevation: 681 ft / 208 m  
Location: 60.194500 11.098900  
Magnetic Var: 4.481 E

## METAR

ENGM 101050Z 04005KT 330V120 CAVOK 11/M06 Q1023 NOSIG

## TAF

TAF AMD ENGM 100913Z 1009/1106 VRB03KT CAVOK BECMG 1012/1014 19010KT BECMG 1019/1021 VRB03KT

## Frequencies

REC - 126.12 MHz - GARDERMOEN ARRIVAL INFORMATION  
CLD - 121.67 MHz - GARDERMOEN DELIVERY WEST  
GND - 121.75 MHz - GARDERMOEN GROUND  
GND - 121.90 MHz - GARDERMOEN GROUND EAST  
TWR - 120.10 MHz - GARDERMOEN TOWER  
APP - 120.45 MHz - OSLO APPROACH

REC - 127.15 MHz - GARDERMOEN DEPARTURE INFORMATION  
CLD - 121.92 MHz - GARDERMOEN DELIVERY EAST  
GND - 121.60 MHz - GARDERMOEN GROUND WEST  
TWR - 118.30 MHz - GARDERMOEN TOWER  
APP - 118.47 MHz - OSLO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	148 ft	9,664 ft	16.01	ASPHALT	0 ft	486 ft
	45 m	2,946 m	11.53		0 m	148 m
19L	148 ft	9,664 ft	196.02	ASPHALT	0 ft	489 ft
	45 m	2,946 m	191.54		0 m	149 m
01L	148 ft	11,797 ft	15.99	ASPHALT	0 ft	423 ft
	45 m	3,596 m	11.51		0 m	129 m
19R	148 ft	11,797 ft	196.01	ASPHALT	0 ft	486 ft
	45 m	3,596 m	191.53		0 m	148 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	OBW	110.30 MHz	18 nm	-	-	709 ft
				33 km	-		709 m
01R	DME	ONE	111.95 MHz	18 nm	-	-	723 ft
				33 km	-		723 m
19L	DME	GME	110.55 MHz	18 nm	-	-	729 ft
				33 km	-		729 m
19R	DME	GSW	111.30 MHz	18 nm	-	-	727 ft
				33 km	-		727 m
01L	LOC-ILS	OBW	110.30 MHz	18 nm	16.00	-	681 ft
				33 km	11.52		681 m
01R	LOC-ILS	ONE	111.95 MHz	18 nm	16.04	-	681 ft
				33 km	11.56		681 m
19L	LOC-ILS	GME	110.55 MHz	18 nm	196.04	-	681 ft
				33 km	191.56		681 m
19R	LOC-ILS	GSW	111.30 MHz	18 nm	196.00	-	681 ft
				33 km	191.52		681 m
01L	GS	OBW	110.30 MHz	10 nm	16.00	3.00	681 ft
				19 km	11.52		681 m
01R	GS	ONE	111.95 MHz	10 nm	16.04	3.00	681 ft
				19 km	11.56		681 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	GS	GME	110.55 MHz	10 nm	196.04	3.00	681 ft
				19 km	191.56		681 m
19R	GS	GSW	111.30 MHz	10 nm	196.00	3.00	681 ft
				19 km	191.52		681 m

## EGCC

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 257 ft / 78 m  
Location: 53.347400 -2.283480  
Magnetic Var: 0.458 W

## METAR

EGCC 101050Z AUTO VRB03KT 9999 NCD 20/13 Q1024

## TAF

TAF EGCC 100456Z 1006/1112 VRB03KT 9999 FEW045 PROB30 1006/1009 6000 PROB30 1022/1107 7000

## Frequencies

REC - 113.55 MHz - ATIS ARRIVAL	REC - 121.90 MHz - ATIS DEPARTURE
TWR - 119.40 MHz - MANCHESTER TOWER	TWR - 118.60 MHz - MANCHESTER TOWER
GND - 121.85 MHz - MANCHESTER GROUND	GND - 121.75 MHz - MANCHESTER GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 135.00 MHz - MANCHESTER APPROACH
APP - 118.50 MHz - MANCHESTER APPROACH	APP - 121.35 MHz - MANCHESTER DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	9,980 ft	51.00	ASPHALT	1,401 ft	0 ft
	46 m	3,042 m	51.46		427 m	0 m
23R	151 ft	9,980 ft	231.03	ASPHALT	597 ft	200 ft
	46 m	3,042 m	231.48		182 m	61 m
05R	144 ft	10,519 ft	50.98	ASPHALT	0 ft	0 ft
	44 m	3,206 m	51.43		0 m	0 m
23L	144 ft	10,519 ft	231.00	ASPHALT	1,093 ft	0 ft
	44 m	3,206 m	231.46		333 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IMM	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05R	DME	IMC	111.55 MHz	18 nm	-	-	212 ft
				33 km	-		212 m
23R	DME	INN	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05L	LOC-ILS	IMM	109.50 MHz	18 nm	51.03	-	257 ft
				33 km	51.49		257 m
05R	LOC-ILS	IMC	111.55 MHz	18 nm	51.01	-	257 ft
				33 km	51.47		257 m
23R	LOC-ILS	INN	109.50 MHz	18 nm	230.98	-	257 ft
				33 km	231.44		257 m
05L	GS	IMM	109.50 MHz	10 nm	51.01	3.00	257 ft
				19 km	51.47		257 m
05R	GS	IMC	111.55 MHz	10 nm	51.97	3.00	257 ft
				19 km	52.43		257 m
23R	GS	INN	109.50 MHz	10 nm	231.01	3.00	257 ft
				19 km	231.47		257 m